

TAKE ONE.

FREE TO ALL.

529.5
F225
1881



FARMERS, PLANTERS & MECHANICS ALMANAC FOR 1881.



PUBLISHED BY
THE DR. HARTER MEDICINE CO.,
PRACTICAL AND ANALYTICAL CHEMISTS,
No. 213 N. Main Street, St. Louis, Mo., U. S. A.

DR. HARTER'S FEVER AND AGUE SPECIFIC.

(BOTH IN FLUID AND PILL FORM.)

THIS is an infallible remedy for the permanent cure of all kinds of *Ague, Chills and Fever, Intermitent, Remittent, Bilious, Winter, Continued, Congested, Breakbone, Yellow and Lung Fevers.*



We warrant this SPECIFIC to be *safe, speedy and permanent* in neutralizing the Malaria in the system, which produces the above diseases. The cure is thorough and lasting. Its peculiar and happy combination is wonderfully adapted to such diseases as enumerated above. If taken immediately after the fever leaves, there will be no return of the Chills. It makes no difference of how long standing, this SPECIFIC will thoroughly and promptly cure the most stubborn case of Chills and Fever.

In most cases it will be found beneficial to prepare the system for the FEVER AND AGUE SPECIFIC by DR. HARTER'S LIVER PILLS. They will act on the Liver, Stomach and Bowels, starting the Bile and the Secretions, cleanse the system, and purify the Blood. They are superior to all other purging medicines now in the market. See directions for LIVER PILLS.

We challenge the world to produce its equal. We are receiving by every mail unsolicited testimony of persons who have been cured by this peerless medicine "after everything else had failed." We can

produce more evidence of the wonderful success and superiority of DR. HARTER'S FEVER AND AGUE SPECIFIC than can be shown for any other Ague Medicine in existence. In making *SAFE, CERTAIN* and *PERMANENT CURES* of all kinds of Ague, Intermitent Fevers and Periodic diseases, it has *no equal* in the world. This is a bold assertion, but with the unimpeachable testimony which we have in our possession, we are prepared to substantiate all we have claimed.

In this climate many of the diseases that we are subject to, have their origin in malaria, although they do not manifest themselves in Chills and Fever—may result in *Dropsy, Rheumatism, Neuralgia, General Languor, Skin Diseases, Headache, etc.* All those living in a malarious climate should take all precautions against it. It is said an ounce of prevention is worth a pound of cure. One may live in a malarial country and have the poison in his system and it is only necessary for something to develop it, such as getting wet; then the whole trouble is *supposed* to be caused by catching cold, when it was only an exciting cause. A dose of DR. HARTER'S FEVER AND AGUE SPECIFIC and IRON TONIC occasionally will certainly neutralize the poisonous malaria.

"After all of the Doctors had failed."

BUTLER, ARK., March 25, 1878.—*Dr. Harter*: Dear Sir: DR. HARTER'S FEVER AND AGUE SPECIFIC has cured one case of chronic third-day Chills after eleven doctors had failed to benefit him. Mr. Campbell came here from the bottoms with third-day Ague of about two years' standing. He said that he employed eleven different doctors, and paid out about three hundred dollars to no purpose. I sold him one bottle of the AGUE SPECIFIC, IRON TONIC, and a box of LIVER PILLS, which have entirely cured him.

JOHN T. COOK.

MR. T. C. BAILEY, of *Poulsville, Ind.*, writes June 15th, 1877: "I am selling half a dozen different kinds of Ague preparations, but sell more of DR. HARTER'S FEVER AND AGUE SPECIFIC than of all the rest. One box of the AGUE SPECIFIC PILLS cured Mr. O. B. Thornbury of Ague after the doctors had failed to benefit him."

Dr. Harter's Soothing Drops cure Colic.

DR. HARTER'S ALMANAC FOR THE YEAR 1881

Being a Common Year of 365 Days.

MOON'S CHANGES.

☾ New Moon.


☾ Full Moon.

☾ First Quarter.

☾ Last Quarter.

The Twelve Constellations in the Zodiac.

- ♈ Aries, the Ram.
- ♉ Taurus, the Bull.
- ♊ Gemini, the Twins.
- ♋ Cancer, the Crab.
- ♌ Leo, the Lion.
- ♍ Virgo, the Virgin.
- ♎ Libra, the Balance.
- ♏ Scorpio, the Scorpion.
- ♐ Sagittarius, the Bowman.
- ♑ Capricornus, the Goat.
- ♒ Aquarius, the Waterman.
- ♓ Pisces, the Fishes.



Planets and Aspects

- ♄ Saturn.
- ♃ Jupiter.
- ♂ Mars.
- ☼ Sun.
- ♀ Venus.
- ☿ Mercury.
- ♁ Earth.
- ☾ Moon.
- ♁ Herschel.
- ♌ Conjunction, or Planets in the same longitude.
- ☐ Quartile, when they are 90 degrees distant.
- △ Trine, when they are 120 degrees distant.
- ♌ Opposition, when 180 degrees distant.
- ♌ Ascending Node.
- ♌ Descending Node.

Chronological Cycles.

Dominical Letter.	B	Solar Cycle.	14
EPOCH.	30	Roman Indiction.	9
Golden Number.	1	Julian Period.	6594

The year 5642 of the Jewish Era commences on September 24, 1881.

The year 1290 of the Mohamedan Era commences on November 23, 1881.

The Four Seasons. (St. Louis time.)

	d.	h.	m.
Vernal Equinox, sun enters ♈ March	20	5	4 a.m.
Summer Solstice, sun enters ♋ June	21	1	19 a.m.
Autumnal Equinox, sun enters ♏ Sept.	22	3	41 p.m.
Winter Solstice, sun enters ♐ December	21	9	51 a.m.

Movable Festivals.

Septuagesima Sunday, February 13.	Low Sunday, April 24.
Quinquagesima (Shrove) Sunday, February 27.	Ascension Sunday, May 22.
Ash Wednesday, March 2.	Ascension Day, May 26.
First Sunday in Lent, Mh. 6.	Pentecost (Whitsunday) June 5.
Palm Sunday, April 10.	Trinity Sunday, June 12.
Good Friday, April 15.	Corpus Christi, June 16.
Easter Sunday, April 17.	1st Sunday in Advent, Nov. 27.
	Sundays after Trinity, 23.

Ember Days.

March 9, 11, 12.	September 21, 23, 24.
June 8, 10, 11.	December 14, 16, 17.

Morning and Evening Stars.

MERCURY will be evening star about February 23, June 19 and October 15; and morning star about April 7, August 6 and November 24.

VENUS will be evening star till May 3; then morning star for the rest of the year.

JUPITER will be evening star till April 22; then morning star till November 13; and evening star again the rest of the year.

Eclipses for 1881.

In the year 1881 there will be four Eclipses—two of the sun and two of the moon; and a Transit of Mercury across the sun's disk.

I. A partial Eclipse of the sun, May 27. Visible to the northern part of North America and to Northern Asia. To the more northern and western of the central States it will appear as a slight eclipse, beginning ordinarily a little before sunset. At St. Louis it will begin at 6 h. 58 m. p. m., and will continue beyond sunset.

II. A total Eclipse of the moon, June 11-12. Visible to North and South America and to portions of Africa and Australia, occurring in Washington time as follows:

	d.	h.	m.
Moon enters penumbra.	11	11	7 1/2 a.m.
Moon enters shadow.	12	0	3 1/2 a.m.
Total eclipse begins.	12	1	5
Middle of eclipse.	12	1	47
Total eclipse ends.	12	2	27
Moon leaves shadow.	12	3	25
Moon leaves penumbra.	12	4	25

Use Dr. Harter's Lung Balm for Croup.

Magnitude of Eclipse = 1.365 (moon's diameter = 1).
 111. An annular Eclipse of the sun. November 21. Invisible. Visible to Patagonia, S. A., and to the Antarctic Ocean.

IV. A partial Eclipse of the moon, December 5. Invisible. Visible more or less to Europe, Asia, Africa, Australia and northwestern portion of North America.

To places on the Pacific Coast the moon will set in the morning tinged with the advancing penumbral shade.

V. A transit of Mercury over the sun's disc, November 7. Invisible east of a line drawn through Cleveland, Ohio, and Charleston, S. C. To the west of that line it will be partly visible, ingress occurring, in Washington time, at 5 h. 8 m. p. m.

HERSCHELL'S WEATHER TABLE,

Or Foretelling the Weather, throughout all the Lunations of Each Year, Forever.

This Table and the accompanying remarks are the result of many years' actual observation, the whole being constructed on a due consideration of the attraction of the sun and Moon, in their several positions respecting the Earth, and will, by simple inspection, show the observer what kind of weather will most probably follow the entrance of the Moon into any of its quarters, and that so near the truth as to be seldom or never known to fail.

<i>If the New Moon, First Quarter, Full Moon, or Last Quarter, happens</i>	IN SUMMER.	IN WINTER.
Between midnight and 2 o'clock	Fair.....	Frost unless wind Southwest.
“ 2 and 4 morning.....	Cold and Showers.....	Snow and Stormy.
“ 4 and 6 “.....	Rain.....	Rain.
“ 6 and 8 “.....	Wind and rain.....	Stormy.
“ 8 and 10 “.....	Changeable.....	Cold rain if wind West, snow if East.
“ 10 and 12 “.....	Frequent showers.....	Cold and high wind.
“ 12 and 2 afternoon.....	Very rainy.....	Snow or rain.
“ 2 and 4 “.....	Changeable.....	Fair and mild.
“ 4 and 6 “.....	Fair.....	Fair.
“ 6 and 8 “.....	Fair if wind Northwest.....	Fair and frosty if wind North or N. East.
“ 8 and 10 “.....	Rainy if South or Southwest.....	Rain or snow if South or Southwest.
“ 10 and midnight.....	Fair.....	Fair and frosty.

OBSERVATIONS.—1. The nearer the time of the Moon's change, first quarter, full and last quarter are to *midnight*, the fairer will be the weather for the next seven days.

2. The space for this calculation occupies from ten at night till two next morning.

3. The nearer to *midday or noon* the phases of the Moon happens, the more foul or wet weather may be expected during the next seven days.

4. The space for this calculation occupies from ten in the forenoon to two in the afternoon. These observations refer principally to the Summer, though they affect Spring and Autumn in nearly the same ratio.

5. The Moon's change, first quarter, full and last quarter, happening during six of the afternoon hours, i. e. from four to ten, may be followed by fair weather; but this is mostly dependent on the *wind*, as is noted in the table.

6. Though the weather, from a variety of irregular causes, is more uncertain in the latter part of Autumn, the whole of Winter, and the beginning of Spring, yet in the main the above observations will apply to those periods also.

7. To prognosticate correctly, especially in those cases where the *wind* is concerned, the observer should be in sight of a good *vane*, where the four cardinal points of the heavens are correctly placed.

JEWISH CALENDAR, 1881.

5641	Jan. 1.....	Rosh Hodesh Shebat.
“	15.....	Rosh Shanah Leyslanot.
“	30, 31.....	Rosh Hodesh Adar Kishon.
“	Feb. 14.....	Purim Katan.
“	March 1, 2.....	Rosh Hodesh Adar Shenec.
“	14.....	Fast of Esther.
“	15, 16.....	Purim.
“	31.....	Rosh Hodesh Nissan.
“	April 14, 15.....	Pesah 2 first days.
“	20, 21.....	Pesah 2 last days.
“	29, 30.....	Rosh Hodesh Iyar.
“	May 13.....	Pesah Shenec.
“	17.....	Lag Lomer.
“	29.....	Rosh Hodesh Sivan.
“	June 8, 9.....	Shabuot.
“	27, 28.....	Rosh Hodesh Famoso.
“	July 14.....	Fast of Famoso.
“	27.....	Rosh Hodesh Ab.
“	Aug. 4.....	Tishbeab.
“	19.....	Tubesh.
“	25, 26.....	Rosh Hodesh Eloul.
5642	Sept. 21, 22.....	Tishree Rosh Hashanah.
“	26.....	Fast of Guedalyah.
“	Oct. 8.....	Kipoor.
“	9, 9.....	Sucot 2 first days.
“	14.....	Hoshaanah Rahab.
“	15.....	Sheminee Aseret.
“	16.....	Himhat Torah.
“	23, 24.....	Rosh Hodesh Heshvan.
“	Nov. 22, 23.....	Rosh Hodesh Kislev.

5642	Dec. 4.....	Rarech Alenu.
“	17.....	Hanucah first day.
“	22, 23.....	Rosh Hodesh Tebet.

THE ASCARIS LUMBRICOIDES, or Long, Round Worm, is from three to twelve inches long, white or transparent. It inhabits principally the small intestines, and often finds its way into the stomach and is discharged from the mouth. It has been known to make its way by the epiglottis into the bronchial tubes and cause death.

DR. HARTER'S VERMIFUGE CANDY first destroys the Worms, then expels them; and being free from all deleterious drugs, it is a safe preparation and may be administered without fear to the most delicate child. It dissolves readily in the mouth and is as pleasant as candy to eat.

Dr. Harter's Soothing Drops Cure Summer Complaint.



1st Month—JANUARY—1881.

Moon's Phases.	Macon, Ga.			St. Louis.		
	d	h	m	d	h	m
First Quarter	7	2	35 p.m.	7	2	3 p.m.
Full Moon	15	6	9 p.m.	15	5	34 p.m.
Last Quarter	23	3	14 p.m.	23	2	47 p.m.
New Moon	29	7	14 a.m.	29	6	47 a.m.

Conjectures of the Weather—1, 3 snow; 3 to 6 colder; 7 to 10 mild; 11 to 14 clear and moderate; 16 to 20 dry winds; 21, 22 colder; 23 to 26 moderate; 27 to 29 snow or rain; 30, 31 warmer.

M.	W.	Souths.	Moon Constel.	N. C. S. C., Tenn. Ark., Ga., Ala., Miss., La., Texas	Moon R. & S.	JANUARY, 1881.		Ohio, Ind., Ill., Mo., Iowa, Neb., Kansas, Ky.	Moon R. & S.
D.	D.	h. m.	c d	Sun rises. Sun sets.	h. m.	Aspect of Planets and other matters.	Sun slow	Sun rises Sun sets.	h. m.
1	S	1 14	28	7 3	5 6	6 40	☉ in perigee.	4 7 23	4 45 6 24

1)	2d Sunday after Christmas	Day's length, 10h. 4m.		Day's length, 9h. 23m.	
2	S	2 11	13 7 3	5 7 7 53	♀ sets 8.11 a.
3	M	3 5	28 7 3	5 7 9 1	♂ ♀ ☾
4	T	3 55	12 7 3	5 8 10 6	Polaris s. 6.16 a.
5	W	4 43	26 7 4	5 9 11 9	Achernar s. 6.31 a.
6	T	5 30	9 7 4	5 10 morn	♂ ♀ ☾
7	F	6 16	22 7 4	5 11 0 11	7th. ♂ ♀ ☾
8	S	7 4	5 7 4	5 11 1 10	♂ in aphelion.

2.)	1st Sunday after Epiphany.	Day's length, 10h. 8m.		Day's length, 9h. 49m.	
9	S	7 52	17 7 4	5 12 2 8	♂ Nep. ☾
10	M	8 41	29 7 4	5 13 3 5	♂ rises 5.44 m.
11	T	9 31	11 7 3	5 14 4 1	Arietis s. 6.34 a
12	W	10 20	23 7 3	5 15 4 52	☐ ♀ ☉
13	T	11 9	5 7 3	5 16 5 38	☾ in apogee.
14	F	11 56	17 7 3	5 17 6 20	15th. Aldebar. s. 8.50 a
15	S morn		29 7 3	5 18 rises.	Capella s. 9.25 a.

3.)	2d Sunday after Epiphany	Day's length, 10h. 17m.		Day's length, 9h. 40m.	
16	S	0 41	10 7 2	5 19 6 40	♀ sets 11.13 a.
17	M	1 25	22 7 2	5 19 7 34	Rigel s. 9.18 a.
18	T	2 8	4 7 2	5 20 8 29	Canopus s. 10.27 a.
19	W	2 50	17 7 1	5 21 9 25	♂ ♀ ☾
20	T	3 33	29 7 1	5 22 10 23	Nep. stationary.
21	F	4 17	12 7 1	5 23 11 23	23d. ♀ sets 11.42 a.
22	S	5 3	25 7 0	5 24 morn	Sirius s. 10.29 a.

4.)	3d Sunday after Epiphany.	Day's length, 10h. 25m.		Day's length, 9h. 53m.	
23	S	5 53	8 7 0	5 25 0 25	Castor s. 11.12 a.
24	M	6 46	22 6 59	5 26 1 29	♂ rises 8.18 a.
25	T	7 44	6 6 59	5 27 2 34	Procyon s. 11.11 a.
26	W	8 46	21 6 58	5 28 3 39	♂ ♀ ☉ sup.
27	T	9 49	6 6 58	5 29 4 41	♂ ♀ ☾
28	F	10 52	21 6 57	5 30 5 35	♂ gr. Hel. Lat. s. ☾ in
29	S	11 51	6 6 57	5 31 sets.	29th. ♂ ♀ ☾ [perigee]
30	S	ev. 48	21 6 56	5 32 6 36	☐ Nep. ☉
31	M	1 41	6 6 55	5 33 7 46	Nep. sets 9.37 m.

DR. HARTER'S IRON TONIC



IS the best combination of medicines ever made for a Tonic. It is made from *Refined Iron*, the *Phosphates*, *Calisaya Bark*, *Vegetable Aromatics*, etc. It is so combined that it is perfectly devoid of any inky taste, so peculiar to *Iron Remedies*. It is sanctioned by popular opinion and high authority of the most distinguished of the Medical Faculty; and for its efficacy and safety deserves the name of being, in truth, a *FAMILY MEDICINE*. Those who may have occasion to use it will find it to be a remedy of extreme value. The utmost reliance can be placed upon it, both as to its innocent nature and its highly curative properties.

DR. HARTER'S IRON TONIC PURIFIES, ENRICHES, GIVES COLOR AND TONE TO THE BLOOD; it increases the quantity as well as the quality, GIVING VIGOR, VITALITY, ENERGY, POWER, AND LIFE ITSELF. The TONIC is a mild stimulant to the Brain and Nervous System, with especial action on the Kidneys, Bladder and Organs of Generation, both in the male and female. It acts on the Stomach and Liver, increasing the appetite, assisting digestion, building up the weak, frail, and broken-down system.

DR. HARTER'S IRON TONIC is peculiarly adapted to persons who have been overworked by mental application, or prostrated by disquietude and care, or persons who, from some constant source of bodily

suffering, have a thousand anomalous symptoms, dependent on an imperfectly generated and distributed nerve power, such as *Wakefulness*, *Trembling*, *Spasmodic Movements*, *Palpitation*, *Cramps*, *Epilepsy*, *St. Vitus Dance*, *Twitching of the Muscles* of the various parts of the body, and all paralyzed or palsied conditions of the system.

MRS. ELIZABETH JANES, of *Vine Prairie, Ark.*, writes, March 12th, 1876: "My son has had *Epilepsy* for 6 years. He commenced taking DR. HARTER'S IRON TONIC last August; since then he has had but one attack, which was but a slight one. For months he has not had even a symptom of epilepsy. As I know no other reason for this miraculous cure than your medicine, I write this to show my gratitude to you."

STRAWBERRY PLAINS, TENN., February 1, 1873.—*Dr. Harter*: My daughter, five years old, had *Typhoid Fever* in 1871. She partially recovered, but remained weak and emaciated, unable to walk. We gave her numerous remedies, but nothing did her any good. We gave her your IRON TONIC, and she commenced to improve at once. She is now in the enjoyment of the health and vigor of childhood.


A. A. MEEK.

EDINBURG, MISS., Sept. 29, 1875.—*Dr. Harter*: There is no medicine we sell that gives such universal satisfaction as DR. HARTER'S IRON TONIC. We had thought of sending you some certificates of cures effected by it, but a compound of such genuine merit recommends itself.

FINCHER & LEE.

DR. HARTER'S IRON TONIC is especially adapted to female diseases, such as *Weakness from Nursing*, or *any other cause*; *Painful, Irregular, or Deranged Monthly Periods*; *Falling of the Womb*; *Nausea in Pregnancy*, *Sterility*, *Change of Life*; *Pain in the Head, Back or Side*; *Kidneys, Bladder*; *Green Sickness*, or that pale, languid, restless condition of young girls, with an unnatural and perverted appetite; *Palpitation of the Heart*, &c.

F. H. MOSSLEY, Principal of Montrose Academy, *Montrose, Miss.*, says; "I have used DR. HARTER'S IRON TONIC while suffering from general debility. It has had such a happy effect that I am glad to recommend it to all who are similarly afflicted."



Conjectures of the Weather.—1 to 5 cool and hazy; 6 to 10 snow or rain; 11 to 13 clear and cold; 16, 17 mild and fair; 18 to 20 warmer; 21 to 23 cloudy; 24 to 26 cold winds; 27, 28 warmer.

6.) 5th Sunday after Epiphany. Day's length, 10h. 47m. Day's length, 10h. 22m.

7.) Septuagesima Sunday. Day's length, 11h. 0m. Day's length, 13h. 59m.

8.) Sexagesima Sunday. Day's length, 11h. 13m. Day's length, 10h. 56m.

9.) Quinquagesima—Shrove Sunday. Day's length, 11h. 26m. Day's length, 11h. 14m.

For Enlarged Spleen use Dr. Harter's Ague Specific and Iron Tonic.



INTERESTING.

ANY female diseases, if properly treated, might be arrested in their course, and thereby prove of short duration. They should not be left to an inexperienced physician who does not understand the nature of these diseases, and is therefore incompetent to treat them. The importance of attending to female diseases in their earliest stages cannot be too strongly urged, for if neglected, they frequently lead to *Consumption, Chronic Debility,* and sometimes to *Insanity*. In ALL classes of female diseases, ladies will find a sovereign remedy in DR. HARTER'S IRON TONIC. Begin to take it at once, and you will bless the hour that you began the use of it.

ATTICA, IND., July 8th, 1878.—*The Dr. Harter Medicine Co.*—Gentlemen: I have been prescribing DR. HARTER'S IRON TONIC in hysterics with wonderful results. I first control the paroxysms, after which, the IRON TONIC is promptly curative. It is also an excellent medicine in convalescence from Typhoid and other fevers.

Yours truly,

J. C. BURLINGTON, M. D.

CENTREVILLE, TEXAS, July 16th, 1874.—*Dr. Harter*: Mr. James Brown, of our county, has requested me to tender you his grateful acknowledgments for the great benefits his wife received from the use of your IRON TONIC.

He tells us that, after having paid three or four hundred dollars doctors' bills, two bottles of your IRON TONIC did her more good than all she ever used. She was troubled with *Derangement of the Womb, Whites, etc.*, from which she is much relieved.

F. A. PATRICK & Co.

BELVIDERE, ILLS., March 5th, 1878.—*The Dr. Harter Medicine Co., St. Louis, Mo.* Gentlemen: After a severe and protracted attack of Typhoid Pneumonia, in which my life was despaired of, I was left in a weak and feeble condition. By the recommendation of others I commenced using DR. HARTER'S IRON TONIC, gained rapidly, and I now enjoy good health; am 72 years of age. Permit me to return you my grateful thanks, and urge others to test its intrinsic worth.

MRS. ELIJAH WATSON.

For a delicious aromatic cordial, stimulating and invigorating in its immediate and its remote effects, nothing has ever equalled DR. HARTER'S ELIXIR OF WILD CHERRY, a preparation that is acceptable to the most delicate stomach.

W. P. HILL, *Crocket Station, Tenn.*, writes: "DR. HARTER'S IRON TONIC has done wonders here. A lady who had been doctored nearly to death for several years, has been cured of *Debility* and *Great Prostration* by the use of DR. HARTER'S IRON TONIC, which raised her from her bed, where she had been lying for months."

ELLENTON, S. C., May 29, 1875.—*Dr. Harter*: I used your IRON TONIC to a considerable extent in my practice last fall, and was well pleased with its effects. It produces more satisfactory results in my hands than any preparation of Bark and Iron I have ever used.

S. G. MABLEY, M. D.

FREEPORT, FL., March 24, 1877.—*Dr. Harter. Dear Sir*: My daughter who has been afflicted with *Dropsy* for some time, has been using DR. HARTER'S IRON TONIC. She has derived much benefit from it. I am satisfied it will ultimately cure her.

SYLVANUS CHALKER.

An Irishman describes a savings bank as a place where you can put your money in to-day, and get it to-morrow by giving thirty day's notice.

We can say with entire certainty that the sun cannot have been radiating heat, at the present rate, for more than eighteen millions of years.

The patient boy went to a neighbor's for sour milk. "I haven't any but' sweet," said the woman. "Then I'll wait till it sours," said the boy, pulling out his marbles.

They sat in the parlor, and he squeezed her hand. "Oh! would that this hand were mine!" he sighed. "Why?" she whispered.

"Because, if it were mine, I could knock bullocks down better than with a sledge hammer."

The last seen of that young man he was trying to climb to the top of the house by means of the water spout.

Woman is like ivy—the more you are ruined the closer she clings to you.

An old bachelor adds: "Ivy is like woman—the closer it clings to you the more you are ruined."

"May I leave a few tracts," asked a medical missionary of a lady who responded to his knock. "Leave some tracts? Certainly you may," said she, looking at him most benignly over her specks. "Leave them with the heel towards the door if you please."

A lady writes to ask the origin of the phrase—"The army swore terribly in Flanders" and what occasioned the profanity. Mr. Flanders was a sutler, and his prices and general disregard for all the rules of trade so incensed the army that it cursed him with all its strength.



3d Month—MARCH—1881.

Moon's Phases,	Macon, Ga.			St. Louis.		
	d	h	m	d	h	m
First Quarter	7	2	28 a.m.	7	2	1 a.m.
Full Moon	15	5	3 a.m.	15	4	36 a.m.
Last Quarter	22	9	56 a.m.	22	9	29 a.m.
New Moon	29	4	58 a.m.	29	4	31 a.m.

Conjectures of the Weather.—1 to 5 cool and windy; 6 to 10 cloudy; 11 to 13 warm and clear; 16, 17 cool and fair; 18 to 20 warmer, 21 to 23 cloudy; 24 to 26 cold winds; 27 to 31 warmer.

D.	D.	Moon	Moon	N. C., S. C., Tenn., Ark., Ga., Ala., Miss., La., Texas.		Moon	Aspect of Planets and other matters.	Ohio, Ind., Ill. Mo., Iowa, Neb., Kansas, Ky.		Moon			
		Souths.	Constel	R. & S	R. & S	Sun slow		R. & S					
M.	W.	h.	m.	c.	d.	Sun rises	Sun sets.	h.	m.	h	m		
1	T	1	8		28	6 28	5 58	7 35	 ♄ ☽. ♄ ♄ ♄	12	6 33	5 52	7 38
2	W	1	58		12	6 26	5 59	8 40	♄ stationary. ♄ ♄ ☾	12	6 31	5 53	8 48
3	T	2	48		26	6 25	5 59	9 43	♄ ♄ ☾. ♄ ♄ ☾	12	6 30	5 54	9 55
4	F	3	38		9	6 24	6 0	10 44	♄ gr. H. Lat. N. ♄ Nep. ☾	12	6 28	5 56	11 0
5	S	4	28		22	6 23	6 1	11 43	♀ sets 9.44 a.	12	6 27	5 57	morn
10.) 1st Sunday in Lent. Day's length, 11h. 41m.											Day's length, 11h. 3m.		
6	S	5	19		4	6 21	6 2	morn	♀ in perihelion.	11	6 25	5 58	0 2
7	M	6	9		16	6 20	6 3	0 38	7th. Canopus s. 7.18 a. ☾	11	6 23	5 59	0 58
8	T	6	58		28	6 19	6 4	1 28	♄ rises 4.45 m. ☽	11	6 22	6 0	1 48
9	W	7	47		10	6 18	6 4	2 13	Sirius s. 7.29 a.	11	6 20	6 1	2 33
10	T	8	33		22	6 16	6 5	2 55	☾ in apogee.	10	6 19	6 2	3 12
11	F	9	18		3	6 15	6 6	3 33	♄ ☽ ☽ inf.	10	6 17	6 3	3 48
12	S	10	2		15	6 14	6 6	4 7	Castor s. 8 4 a.	10	6 15	6 4	4 18
11.) 2d Sunday in Lent. Day's length, 11h. 55m.											Day's length, 11h. 51m.		
13	S	10	46		28	6 12	6 7	4 40	♀ sets 8.24 a.	9	6 14	6 5	4 46
14	M	11	29		10	6 11	6 8	5 10	♄ ☽ ☾	9	6 12	6 5	5 13
15	T	morn			23	6 10	6 9	rises.	15th. Procyon s. 7.58a.	9	6 11	6 7	rises.
16	W	0	13		6	6 8	6 9	7 9	Pollux s. 7.59 a.	9	6 9	6 8	7 11
17	T	0	59		19	6 7	6 10	8 10	Regulus s. 10.19 a.	8	6 7	6 9	8 20
18	F	1	47		2	6 6	6 11	9 12	Spica s. 1.35 m.	8	6 6	6 10	9 27
19	S	2	39		16	6 5	6 11	10 17	♄ sets 8.21 a.	8	6 4	6 12	10 34
12.) 3d Sunday in Lent. Day's length, 12h. 9m.											Day's length, 12h. 10m.		
20	S	3	32		29	6 3	6 12	11 21	☽ ent. ♀. Spring begins	7	6 3	6 13	11 40
21	M	4	30		13	6 2	6 13	morn	Arcturus s. 2.14 m. ☽ ☽	7	6 1	6 14	morn
22	T	5	28		27	6 1	6 13	0 21	22d. Uranus s. 5.14 m.	7	5 59	6 15	0 41
23	W	6	28		11	5 59	6 14	1 16	♄ Nep. ♄	7	5 58	6 16	1 36
24	T	7	25		25	5 58	6 15	2 7	♄ stationary.	6	5 56	6 17	2 24
25	F	8	21		9	5 57	6 16	2 52	☾ in per'gee.	6	5 55	6 18	3 5
26	S	9	15		24	5 55	6 16	3 32	♄ ☽ ☾	6	5 53	6 19	3 41
13.) 4th Sunday in Lent. Day's length, 12h. 23m.											Day's length, 12h. 20m.		
27	S	10	6		8	5 54	6 17	4 9	♄ in ☽. ♄ at gr. brill.	5	5 51	6 20	4 13
28	M	10	56		22	5 53	6 18	4 45	♄ ☽ ☾. ♄ gr. H. Lat. N.	5	5 50	6 21	4 44
29	T	11	46		6	5 51	6 18	sets.	29th. Nep. sets 8.55 a.	5	5 48	6 22	sets.
30	W	ev.	36		20	5 50	6 19	7 25	♄ ♄ ☾	4	5 47	6 23	7 35
31	T	1	26		4	5 49	6 20	8 27	♄ ♄ ☾	4	5 45	6 24	8 42

DR. HARTER'S LIVER PILLS.



GOOD, SAFE, SURE and RELIABLE FAMILY PILLS are the most essential and important remedy in every family. Pills are always ready to use, are easy to take, and are the first medicine to take in almost every disease.

They cleanse the *Stomach* and *Bowels*, start the *Secretions*, and prepare the system for other medicines that may be needed. There is scarcely a pain or an ache in the whole body that is not more or less benefited by a purge. DR. HARTER'S LIVER PILLS are a *safe, certain and mild purge*, and by increasing the dose, they become very *energetic and sure* LIVER PILLS, acting especially on the Liver, starting and regulating the flow of bile and expelling it from the body. These Pills combine the two essential qualities of a SUPERIOR FAMILY PILL; they act as a mild and efficient purge, and at the same time they are the BEST LIVER PILLS ever offered to the public. We defy the world to produce their equal.

GREEN BAY, VA., March 14, 1875.—*Dr. Harter:* I have used many different kinds of Pills for *Sick Headache, Pain in my Left side, and Cold in the Bowels*, but never found any equal to your LIVER PILLS. I have been troubled with a pain in my left side for years back, and at times it is so bad that I cannot get about; have not slept on my left side for many years. I have used your LIVER PILLS several times, and have experienced great relief. I am satisfied they will cure me entirely. W. P. WILL.

The first effect of a bilious climate upon the human system, as now well established, is to produce torpor and inactivity of the liver, thereby obstructing the natural and free discharges of bile. All know the lurking nature of the poison that produces these diseases. A sallow complexion, capricious appetite, and occasional pain in the side, are perhaps the only symp-

oms to warn us of the impending danger. DR. HARTER'S LIVER PILLS will counteract the miasmatic influence by producing activity of the biliary organs, and a healthy, natural discharge of bile from the system.

Bilious or Sick Headache, or such as arises from a disordered state of the digestive organs, usually affects one side of the head only, or but a portion of it, most commonly over one eye, and increasing to an acute and often throbbing pain. It is commonly accompanied with a feeling of sickness, often nausea to vomiting, and produces extreme languor and depression of spirits. This will be entirely removed by using freely DR. HARTER'S LIVER PILLS.

DIRECTIONS.—In *Chills and Fever, Ague, Intermittent, Bilious, Remittent, Congestive, Yellow and Lung Fever, Inflammation, Jaundice, Torpid and Congested Liver, Severe Pains, Headache, and all Sudden Attacks of any disease*, give a full and active dose, since active purging with these pills will give immediate relief. In all cases of *Pains in the Head, Eyes, Breast, Shoulders, Back, Bowels, Side, Limbs, Cold Hands and Feet; Chronic Liver Complaints, Rush of Blood and Dizziness in the Head; Drowsiness, all Long Standing Diseases, and Uncommon Derangements of the System*, these Pills should be taken two or three times a week in moderate doses. In *Costiveness* give one Pill every night until they begin to act, then regulate the dose so that the bowels may move once or twice a day, and continue till cured. In all *Chronic Diseases*, purge two or three times a week. In all *Lingering and Feeble Cases*, purge lightly, but keep up a healthy action of the Bowels with these Pills, for they will assist digestion, purify the blood, and restore good health. These Pills can be used with perfect safety by the old or young. Women in delicate health or any condition, may use them without fear of injury.

DR. HARTER'S LIVER PILLS are as innocent as bread, yet all-powerful as a remover of any cause of sickness; may be taken at any time of day or night, without alteration in diet or fear of cold.

DR. L. A. BASSETT, of *Swanton, Ohio*, writes, Jan. 23, 1878: "I have used in my practice and sold your FAMILY MEDICINES for the past ten years, and from my knowledge of them I can conscientiously recommend the same to the public generally."

Dr. Harter's Iron Tonic Cures Dyspepsia.



4th Month—APRIL—1881.

Moon's Phases.	Macon, Ga.			St. Louis.		
	d	h	m	d	h	m
First Quarter	6	10	23 p.m.	6	9	53 p.m.
Full Moon	14	6	16 p.m.	14	5	49 p.m.
Last Quarter	21	4	4 p.m.	21	3	27 p.m.
New Moon	29	4	50 p.m.	29	4	23 p.m.

Conjectures of the Weather—1 to 3 pleasant; 4 to 6 colder; 7 to 10 showery; 11 to 14, clear; 16 to 29 dry winds; 21, 22 cloudy; 23 to 26 copious showers; 27 to 29 clear and pleasant; 30 warm.

M. W. D. D.	Moon		N. C. S. C., Tenn. Ark., Ga., Ala., Miss., La., Texas.	Moon		Aspect of Planets and other matters.	APRIL, 1881.	Sun slow	Ohio, Ind., Ills., Mo., Iowa, Mich., Kansas, Ky.		Moon R. & S.		
	Souths.	Constel.		h.	m.				Sun rises;	Sun sets.		h.	m.
1	F	2 17		27	5 47	6 20	9 28	♂ Nep. C.	♂ ♀ C	4	5 43	6 25	9 45
2	S	3 8		29	5 46	6 21	10 25	♀ sets 9.30 a.		3	5 42	6 26	10 45

11) 5th Sunday in Lent. Day's length, 12h. 37m. Day's length, 12h. 47m.

3	S	4 0		12	5 45	6 22	11 19	Castor s. 6.37 a.			3	5 40	6 27	11 39	
4	M	4 50		24	5 44	6 23	morn	Regulus s. 9.8 a.	♂ ♀		3	5 39	6 28	morn	
5	T	5 39		6	5 42	6 23	0 8	Spica s. 0.24 m.			3	5 37	6 29	0 27	
6	W	6 27		18	5 41	6 24	0 51	6th. ♀ in aph. C in apo.			2	5 35	6 30	1 9	
7	T	7 12		29	5 40	6 25	1 30	♂ gr. elon. W. 28°.			2	5 34	6 31	1 45	
8	F	7 56		11	5 38	6 25	2 6	Arcturus s. 1.4 m.			2	5 32	6 32	2 17	
9	S	8 40		23	5 37	6 26	2 39	♂ rises 3.50 m.			1	5 31	6 33	2 47	

15.) Palm Sunday. Day's length, 12h. 51m. Day's length, 15h. 5m.

10	S	9 23		6	5 36	6 27	3 9	♀ ♀ C			1	5 29	6 34	3 13	
11	M	10 7		18	5 35	6 28	3 38	♀ stationary.			1	5 27	6 35	3 39	
12	T	10 52		1	5 33	6 28	4 9	Antares s. 2.59 m.			1	5 26	6 36	4 5	
13	W	11 40		14	5 32	6 29	4 41	♂ sets 6.58 a.			0	5 24	6 37	4 33	
14	T	morn		28	5 31	6 30	rises.	14th. Vega			0	5 23	6 38	rises.	
15	F	0 31		12	5 30	6 30	8 6	Procyon s. 5			a	5 21	6 39	8 22	
16	S	1 25		26	5 29	6 31	9 11	Regulus s. 8.21			0	5 20	6 40	9 30	


16.) Easter Sunday. Day's length, 13h. 5m. Day's length, 13h. 23m.

17	S	2 23		10	5 27	6 32	10 14	♂ sets 6.45 a.			1	5 18	6 41	10 34	
18	M	3 23		24	5 26	6 32	11 13	Spica s. 11.29 a.	♂ ♀		1	5 17	6 42	11 33	
19	T	4 22		8	5 25	6 33	morn	C in perigee.			1	5 15	6 43	morn	
20	W	5 21		22	5 24	6 34	0 5	♂ sets 3.21 r			1	5 14	6 44	0 22	
21	T	6 17		6	5 23	6 35	0 51	21st. ♂ ♀ C			1	5 13	6 45	1 5	
22	F	7 10		20	5 22	6 35	1 32	♂ ♀ ♀.			2	5 11	6 46	1 41	
23	S	8 1		4	5 21	6 36	2 9	Arcturus s. 0.5 m.			2	5 10	6 47	2 14	

17.) Low Sunday. Day's length, 13h. 17m. Day's length, 13h. 40m.

24	S	8 50		18	5 20	6 37	2 44	♂ ♀ C			2	5 8	6 48	2 44	
25	M	9 38		2	5 19	6 37	3 18	Antares s. 2.8 m.			2	5 7	6 49	3 14	
26	T	10 27		16	5 17	6 38	3 53	♂ ♀ C. ♂ gr. Hel. Lat. S.			2	5 0	6 50	3 45	
27	W	11 16		29	5 16	6 39	4 29	♂ ♀ C. ♂ ♀ C			3	5 5	6 51	4 16	
28	T	ev. 7		12	5 15	6 40	sets.	28th. ♂ Nep.			3	5 3	6 51	sets.	
29	F	0 58		25	5 14	6 41	8 12	Nep. sets 6.			3	5 2	6 52	8 31	
30	S	1 50		7	5 13	6 41	9 8	Vega s. 3.59 m.			3	5 1	6 53	9 27	

Use Dr. Harter's Liniment for Sprains and Bruises.



BLOOD AND IRON.

THE Blood contains white and red corpuscles, with about three hundred of the latter to one of the former. It is the absence of these red corpuscles that causes that pale, languid look of those suffering from Dyspepsia, General Debility, Overwork, Malarial poisoning, &c.

Since Iron constitutes a necessary integrant portion of the red blood corpuscles, it is a food rather than a medicine. When, however, the supply, from any cause, is insufficient; or the power of digestion and assimilation impaired; if an abnormal excretion of it occurs, a less than normal amount of it exists in the body. When this is the case, the condition ordinarily known as Anemia existing, the blood contains comparatively few red disks. It is this state which constitutes the great indication for DR. HARTER'S IRON TONIC. Under its use the color returns to the cheek, because there is an adequate increase of the red corpuscles. It acts, not merely as a food, but as a veritable stimulant to the organs which produce the red corpuscles.

DR. W. H. ELLIS, *Pocahontas, Bond Co., Illinois*, writes as follows: "My boy had the third day *Ague* for three years. I spent \$60 for patent medicines for him and still he had the *Chills*. I then tried the most skillful doctor I could find, and he failed to cure him. Afterwards I tried three or four of the best doctors, with no better success. It was sad to see my poor boy wasting away, month after month, shaking with cold or burning with fever, and racked with pain. I was told that DR. HARTER, of St. Louis, made a FEVER AND AGUE SPECIFIC that never failed to cure. I sent for one bottle; the boy took it and was cured. He never had another *Chill* after he had taken part of the bottle. It has been a year since he had his last *Chill*, and he is well, fat and hearty.

CONSTIPATION.—It is a law of animal economy that most persons in health have one evacuation daily. If the period be prolonged the feces become hard, knotty, and ultimately form large hard balls. This retention of fecal matter often causes great distension of the abdomen from generation of the gases, as well as pain, irritation, and a flow of blood from the rectum in passing stool. In some instances the fecal matter, when retained, causes so much irritation that

constipation and diarrhoea co-exist at the same time. The solid matters being retained set up a diarrhoea. The appetite is generally lost; the head aches; a gloom is cast over the spirits; the mind and body are indifferent to exertion; the temper is soured, and every pleasure of life is embittered. There is indeed no rule of health more important than that the bowels be kept regularly and daily open. For the cure of Constipation: First, get a good and healthy action of the bowels with DR. HARTER'S LIVER PILLS, then take one pill three times a week, for about three weeks. Commence at once the use of DR. HARTER'S IRON TONIC.

MR. W. M. BURRELL, of *Hiawasse, Ga.*, says: "I have used one bottle of DR. HARTER'S IRON TONIC. It has done me more good than anything I have ever used."

JOHN THREADGILL, M. D., of *Taylorville, Texas*, writing May 29th, 1879, says: "DR. HARTER'S IRON TONIC and AGUE SPECIFIC are at the head of the list in this section."

MR. CONRAD WITHMOND, of *Brussels, Calhoun Co., Ills.*, says: "DR. HARTER'S IRON TONIC is the finest preparation of Bark and Iron ever sold in this section. Gives universal satisfaction and is a pronounced success by every one. I do certainly recommend it to the public."

There are some cases that will require special treatment. Other medicines in addition to ours will be necessary, in all such cases we will answer gratuitously any letter that may be addressed to us. Those corresponding with us must give a full and complete history of their cases, not omitting the slightest detail. A full knowledge of the case is absolutely necessary in order to treat the case intelligently. All communications strictly confidential. We do not supply any Medicines except those enumerated in this Almanac. Where these are not indicated, we will furnish prescriptions and directions for treatment. Attention will be paid only to such letters having two postage stamps enclosed.

"When I with a little boy," lisped a society man to a young lady, "all my ideath in life were theathered in being a clown." "Well, there is at least one case of gratified ambition," was the sharp reply.

Young ladies Miss it to not, and many a married lady Mrs. it in being married.

Dr. Harter's Vermifuge Candy is sure to destroy Worms.



5th Month—MAY—1881.

Moon's Phases.	Macon, Ga.			St. Louis.		
	d	h	m	d	h	m
First Quarter	6	5	10 p.m.	6	4	43 p.m.
Full Moon	13	4	59 a.m.	13	4	23 a.m.
Last Quarter	20	9	33 p.m.	20	9	6 p.m.
New Moon	27	6	2 a.m.	27	5	35 a.m.

Conjectures of the Weather.—1 to 5 cool clear; 6 to 10 cloudy; 11 to 13 warm and pleasant; 16, 17 cloudy or rainy; 18 to 20 warmer; 21 to 23 clear; 24 to 26 pleasant; 27 to 30 clear and warm.

D. M.	D. Souths.	Moon Constel.	N. C., S. C., Tenn., Ark., Ga., Ala., Miss., La., Texas.		Moon R. & S.	MAY, 1881.		Aspect of Planets and other matters.		Sun fast.	Ohio, Ind., Ill., Mo., Iowa, Neb., Kansas, Ky.		Moon R. & S.	
			h.	m.	c.	d.	Sun rises	Sun sets.	h.	m.	Sun rises	Sun sets.	h.	m.

18.) 2d Sunday after Easter. Day's length, 13h 30m. Day's length, 13h 54m.

1	S	2	41	20	5	12	6	42	9	59	Regulus s. 7.22 a.	3	5	0	6	54	10	18
2	M	3	31	2	5	11	6	43	10	44	♂ gr. Hel. Lat. S.	3	4	59	6	55	11	3
3	T	4	20	14	5	10	6	43	11	25	♂ ♀ inf.	3	4	57	6	56	11	42
4	W	5	6	26	5	9	6	44	morn		♂ Nep. ☉. ☾ in apogee.	3	4	56	6	57	morn.	
5	T	5	50	7	5	9	6	45	0	3	♀ rises 4.31 m.	3	4	55	6	58	0	16
6	F	6	33	19	5	8	6	45	0	37	6th. ♂ ♀ ♄	4	4	54	6	59	0	46
7	S	7	16	1	5	7	6	46	1	8	♂ ♀ ♄	4	4	53	7	0	1	13

19.) 3d Sunday after Easter. Day's length, 13h 41m. Day's length, 14h 16m.

8	S	7	59	14	5	6	6	47	1	37	♂ ♄ ☾. ♂ ♀ ♀	4	4	51	7	1	1	39
9	M	8	43	26	5	5	6	47	2	6	♂ rises 2.52 m.	4	4	50	7	2	2	4
10	T	9	29	9	5	4	6	48	2	38	♂ ♄ ♀	4	4	49	7	3	2	32
11	W	10	19	23	5	3	6	49	3	12	♂ Nep. ♀	4	4	48	7	4	3	1
12	T	11	13	6	5	3	6	50	3	50	Spica s. 9.55 a.	4	4	47	7	5	3	35
13	F	morn		20	5	2	6	51	4	33	13th. Arctur. s. 10.42 a.	4	4	46	7	6	4	15
14	S	0	10	5	5	1	6	51	rises.		♄ rises 4.13 m.	4	4	45	7	7	rises.	

20.) 4th Sunday after Easter. Day's length, 13h 51m. Day's length, 14h 24m.

15	S	1	11	19	5	1	6	52	9	3	♂ ♄ ♀. ♀ in ☾. ☾ ☾	4	4	44	7	8	9	22
16	M	2	12	4	5	0	6	53	9	59	♄ stationa. ☾ in perigee	4	4	43	7	9	10	17
17	T	3	13	18	4	59	6	53	10	49	♂ ♀ ☉ sup.	4	4	42	7	10	11	4
18	W	4	12	3	4	59	6	54	11	32	♄ rises 3.55 m.	4	4	42	7	11	11	43
19	T	5	7	17	4	58	6	55	morn		Antares s. 0.34 m.	4	4	41	7	12	morn	
20	F	5	58	1	4	57	6	56	0	10	20th. ♀ in perihelion.	4	4	40	7	13	0	16
21	S	6	48	15	4	57	6	56	0	45	Vega s. 2.37 m.	4	4	39	7	14	0	47

21.) Rogation Sunday. Day's length, 14h 1m. Day's length, 14h 36m.

22	S	7	36	29	4	56	6	57	1	19	♄ sets 1.11 m.	4	4	39	7	15	1	16
23	M	8	24	12	4	56	6	58	1	53	♂ ☾ ☾. ♀ in ☾	3	4	38	7	15	1	46
24	T	9	12	25	4	55	6	58	2	28	♀ stationary.	3	4	38	7	16	2	17
25	W	10	1	8	4	55	6	59	3	4	♂ ♀ ☾. ♂ ♄ ☾. ♂ ♄ ☾	3	4	37	7	17	2	49
26	T	10	51	21	4	55	6	59	3	43	♂ Nep. ☾. ☽ in perihel.	3	4	36	7	18	3	25
27	F	11	42	3	4	54	7	0	4	28	27th. Altair s. 3.25 m.	3	4	36	7	19	4	7
28	S	ev. 34		16	4	54	7	1	sets.		♂ ♀ ☾	3	4	35	7	19	sets.	

29	S	1	24	28	4	53	7	1	8	39	Nep. rises 3.38 m.	3	4	35	7	20	8	58
30	M	2	13	10	4	53	7	2	9	22	☐ ♄ ☉	3	4	34	7	21	9	39
31	T	3	0	22	4	53	7	2	10	1	♄ gr. Hel. Lat. N.	3	4	34	7	22	10	15

DR. HARTER'S
ELIXIR OF WILD CHERRY.



The immediate effect of this really great BLOOD PURIFIER and life-giving ELIXIR is to strengthen the stomach, sharpen the appetite, tone and regulate the bowels, and give steady

ness and vigor to the nerves. As a preventive of endemic and epidemic complaints that prevail, and as a remedy for *Indigestion, Dyspepsia, Liver Disturbance, Nervous Debility, Constipation, Langour, Headache*, and all *Irregularities of the Bowels*, this pure and wholesome Tonic stands without a rival in the world.

The bark of the WILD CHERRY is one of the most valuable of American remedies. Uniting with a tonic power the property of calming irritation and diminishing nervous excitability, it is admirably adapted to the treatment of diseases in which debility of the stomach or of the system is united with general or local irritation. Weakness is ordinarily the cause of all sickness; for if nature be strong enough to resist the morbid influences which produce illness, of course they are powerless. Seek strength, therefore; invigorate and regulate the system. The healthy may protect the system by using DR. HARTER'S ELIXIR OF WILD CHERRY.

Men of sedentary habits, whether closely kept at the pulpit, the bar, the study, the desk, the counter or the counting-room, are peculiarly liable to dyspepsia and other annoying complaints arising from an inactive stomach, torpid liver or constipated bowels. To such persons a knowledge of some pleasant and efficacious Tonic is invaluable. DR. HARTER'S ELIXIR

OF WILD CHERRY is the best of all the numerous preparations for the removal of every form of *Indigestion*. Being entirely free from mineral, and depending on vegetable matter for its Tonic properties it can be taken with impunity by the most delicate lady, as by the sedentary student whose system has suffered by overtaxation of the brain. It is pleasant to the taste and immediate in its remedial action.

MR. JACOB HENDR, *DeSoto, Miss.*, writing under date of March 27, 1874, says: "I must say your ELIXIR OF WILD CHERRY is the best I have ever known. I am 72 years of age, and very feeble; have been taking the ELIXIR OF WILD CHERRY, and feel at least twenty years younger. Your other medicines are just what they are claimed to be."

This famous vitalizing Tonic will give you strength and appetite. It will build you up, INVIGORATE and VITALIZE the entire nervous and physical system; impart tone, vigor, brain-power and nervous force, and energy, and make you feel like a new being.

The ELIXIR OF WILD CHERRY is unsurpassed as a Tonic for *General Debility, Langour or Weakness, Languid Circulation, Nervous Irritability, Dyspepsia, Relaxed Condition of the Stomach and Intestines, Convalescence from Fevers, for persons in delicate health, the aged and infirm, Loss of Appetite, etc.* It imparts STRENGTH, LIFE and VITALITY to the whole system.

STRINGTOWN, TEXAS, Nov. 17, 1877.—*Dr. Harter.*—DEAR SIR: I have been suffering for some time with a loss of appetite, and nervous feeling. I was induced to try a bottle of DR. HARTER'S ELIXIR OF WILD CHERRY. I am glad to say that my recovery was complete. I would recommend this valuable preparation to all who are similarly affected.

HENRY LANGE.

MRS. SARAH DONALDSON, of *St. Louis*, says: "I have tried many remedies for indigestion and general debility, but have never found anything as good as DR. HARTER'S ELIXIR OF WILD CHERRY. It has cured me when all other remedies have failed."

Dr. Harter's Liver Pills are a Safe, Certain and Mild Purge.




6th Month—JUNE—1881.

	Moon's Phases.			Moon, Ga.			St. Louis.		
	d	h	m	d	h	m	d	h	m
First Quarter	4	9	45 a.m.	4	9	13 a.m.			
Full Moon	12	1	23 p.m.	12	0	56 p.m.			
Last Quarter	18	3	45 a.m.	18	5	18 a.m.			
New Moon	26	8	29 p.m.	26	8	2 p.m.			

Conjectures of the Weather.—1 to 5 shower; 6 to 10 clear; 11 to 13 warm and pleasant; 16, 17 cloudy or rainy; 18 to 20 warmer; 21 to 23, storm; 24 to 26 pleasant; 27 to 30 clear and warm.

D.	D.	Moon Souths.		Moon Constel.		N. C., S. C., Tenn., Ark., Ga., Ala., Miss., La., Texas.		Moon R. & S.		Aspect of Planets and other matters.	Sun East.	Ohio, Ind., Ills. Mo., Iowa, Neb., Kansas, Ky.		Moon R. & S.	
		h.	m.	c.	d.	Sun rises	Sun sets.	h.	m.			Sun rises	Sun sets.	h.	m.
1	W	3	45		4	4 52	7 31	10	36	☾ in apogee.	2	4 33	7 22	10	47
2	T	4	29		15	4 52	7 31	11	8	☾ rises 2.54 m.	2	4 33	7 23	11	15
3	F	5	11		27	4 52	7 41	11	37	♊ Spica s. 8.28 a.	2	4 32	7 23	11	40
4	S	5	53		9	4 52	7 5	morn		4th. ☌ ☌ ☌	2	4 32	7 24	morn	
23.) Pentecost—Whit Sunday. Day's length, 14h. 13m. Day's length, 14h. 53m.															
5	S	6	35		22	4 52	7 5	0	6	☌ ☌ ☌	2	4 32	7 25	0	6
6	M	7	20		4	4 51	7 5	0	35	♊ rises 1.53 m.	2	4 32	7 25	0	31
7	T	8	7		17	4 51	7 6	1	7	Arcturus s. 9.4 a.	1	4 31	7 26	0	50
8	W	8	58		1	4 51	7 6	1	43	Antares s. 11.11 a.	1	4 31	7 26	1	30
9	T	9	53		15	4 51	7 7	2	23	☌ at greatest brilliancy.	1	4 31	7 27	2	6
10	F	10	52		29	4 51	7 7	3	10	Vega s. 1.18 m.	1	4 31	7 27	2	51
11	S	11	55		13	4 51	7 8	4	3	12th. Spica s. 57 a. ☌ ☌	1	4 31	7 28	3	41
24.) Trinity Sunday. Day's length, 14h. 17m. Day's length, 14h. 57m.															
12	S	morn		28	4 51	7 8	rises.			♊ rises 2.36 m.	0	4 31	7 28	rises.	
13	M	0	58		13	4 51	7 8	8	40	☌ in perigee.	0	4 31	7 29	8	57
14	T	2	0		28	4 51	7 9	9	27	Altair s. 2.14 m.	sl.	4 31	7 29	9	39
15	W	2	58		13	4 51	7 9	10	9	Fomalhaut s. 5.16 m.	0	4 31	7 29	10	17
16	T	3	53		27	4 51	7 10	10	46	Arcturus s. 8.28 a.	0	4 31	7 30	10	49
17	F	4	44		12	4 51	7 10	11	21	☌ rises 2.6 m.	1	4 31	7 30	11	20
18	S	5	34		26	4 52	7 10	11	55	18th. ☌ Nep. ♄	1	4 31	7 31	11	50
25.) 1st Sunday after Trinity. Day's length, 14h. 19m. Day's length, 15h. 0m.															
19	S	6	22		9	4 52	7 11	morn		☌ ☌ ♄. ☌ Nep. ☌	1	4 31	7 31	morn	
20	M	7	10		22	4 52	7 11	0	30	☌ gr. elong. E. 25°.	1	4 31	7 31	0	20
21	T	7	58		5	4 52	7 11	1	7	☌ Cent. ☌ summer begins.	2	4 31	7 31	0	33
22	W	8	48		18	4 52	7 11	1	44	☌ Nep. ☌. ☌ ♄ ☌. ☌ ☌ ☌	2	4 32	7 32	1	27
23	T	9	38		0	4 53	7 11	2	26	☌ in ☌	2	4 32	7 32	2	6
24	F	10	29		12	4 53	7 11	3	12	Antares s. 10.9 a. ☌	2	4 32	7 32	2	50
25	S	11	19		25	4 53	7 11	4	2	☌ sets 10.56 a. ☌	2	4 32	7 32	3	41
26.) 2d Sunday after Trinity. Day's length, 14h. 18m. Day's length, 14h. 50m.															
26	S	ev. 9		7	4 54	7 12	sets.			26th. ☌ in aphelion.	3	4 33	7 32	sets.	
27	M	0	56		18	4 54	7 12	8	0	☌ Vega s. 0.11 m.	3	4 33	7 32	8	16
28	T	1	42		0	4 54	7 12	8	36	☌ ☌ ☌. ☌ in apogee.	3	4 34	7 32	8	48
29	W	2	26		12	4 55	7 12	9	8	Altair s. 1.15 m.	3	4 34	7 32	9	16
30	T	3	8		24	4 55	7 12	9	39	Nep. rises 1.35 m.	3	4 35	7 32	9	44

Dr. Harter's Vermifuge Candy is sure to Destroy Worms.



IMPORTANT.

ANY medicines which enjoyed large public favor in the past, from the fact of their wide notoriety through advertising, have almost entirely disappeared from public notice because they were not meritorious, and failed to fill the promises made by the originators. Being aware that many Proprietary Medicines are manufactured and placed before the public by persons who have but little knowledge of medicine, and no medical experience, we deem it due to the public, and in justice to ourselves, to make the following statement:

DR. HARTER, the originator of DR. HARTER'S CELEBRATED FAMILY MEDICINES, studied under one of the most successful practitioners of the Southwest, and graduated with *distinguished honors* at the following Medical Colleges:

THE UNIVERSITY OF THE CITY OF NEW YORK, in 1844.

CASTLETON MEDICAL COLLEGE, of Castleton, Vermont, in 1845.

ACKLEY MEDICAL COLLEGE Cleveland, Ohio, in 1846.

JEFFERSON MEDICAL COLLEGE, in Philadelphia, in 1851.

CINCINNATI COLLEGE OF MEDICINE AND SURGERY, of Cincinnati, Ohio, in 1856.

BELLEVUE MEDICAL COLLEGE, of New York, in 1866.

Masked Ague may exist in combination with various affections—*Bronchitis, Pneumonia, Dysentery, Rheumatism, Cough, Pleurisy, Diarrhæa, etc., etc.* The association may render the periodic disease irregular, and interfere with the full development of the paroxysms. In malarious districts the influence of malaria is apt to pervade all affections. Paroxysms of neuralgia sometimes appear to take the place of the paroxysms of intermittent fever, recurring with the same regularity, after intervals corresponding to those in different types of intermittent fever, and a cure is effected by DR. HARTER'S FEVER AND AGUE SPECIFIC, which is so certainly efficacious in all malarious diseases.

Dr. Harter's Medicines Superior to all others made.

UNION, ALA., April 22, 1875.—*Dr. Harter:* I have used DR. HARTER'S FEVER AND AGUE SPECIFIC and LIVER PILLS on different occasions with entire satisfaction, and believe them to be superior to any remedies of the kind now before the public. I have seen your SOOTHING DROPS and VERMIFUGE CANDY tried in many cases, and they have not failed in the first instance. I speak from my own knowledge.

I remain yours, &c.,

J. H. WELDON.

Dr. Harter's Medicines Cure Diseases where Other Remedies Fail.

JOEL HENDRIX & SON, Palmetto, Fla., writing under date of October 19, 1874, say: "Your Medicines have cured several cases that have been suffering for years, that other standard medicines failed to cure. Your Medicines have not failed in any instance."

The Multitude is Grateful for the Cures Effected by Dr. Harter's Family Medicines.

WILLIAM WALTERS, of Como, Ark., writes January 22d, 1878: "DR. HARTER'S FAMILY MEDICINES have almost taken the place of all other medicines heretofore sold in this market. DR. HARTER'S FEVER AND AGUE SPECIFIC and LIVER PILLS have been used by a number of people here, and they have given entire satisfaction in every case. It must indeed be a source of great gratification to you, to know that these wonderful preparations of yours have been the means of alleviating so much suffering, and making so many extraordinary cures."

BREWER'S MILLS, KY., April 16, 1877.—*Dr. Harter. Dear Sir:* As an act of justice to you I will say that your valuable medicines have made for themselves a reputation here, which will be imperishable. All of your preparations seem to be adapted to the particular cases for which they are intended.

GREEN & SON.

"Why am I made a sandwich?" said young Snobson, plaintively, as a lady sat down on either side of him in the horse car. "Because we are better bred than you are," said one of the damsels sweetly, and Snobson mustered courage to squeeze out to the platform.

Young man, if it is 11 o'clock, and she goes to the piano and plays a few bars of "The Sweet By-and-By," you may consider the seance over for the night.

A darkey says, "All men are made of clay; and like meerschau pipes, are more valuable when highly colored."

Boxes govern the world,—the cartridge-box, the ballot-box, the jury-box, the band-box and the pill-box.

Why are old whist-players like monkeys? Because they have odd tricks.



7th Month—JULY—1881.

Moon's Phases.	Macon, Ga.			St. Louis.		
	d	h	m	d	h	m
First Quarter	4	11	42 p.m.	4	11	15 p.m.
Full Moon	11	8	39 p.m.	11	8	12 p.m.
Last Quarter	18	0	0 p.m.	17	11	34 a.m.
New Moon	25	11	45 a.m.	25	11	18 a.m.

Conjectures of the Weather—1 to 3 pleasant; 4 to 6 clear; 7 to 10 sultry; 11 to 14 cloudy; 16 to 20 dry and hot; 21, 22 cloudy; 23 to 26 showers; 27 to 29 clear and pleasant; 30, 31 warm.

JULY, 1881.

Aspect of Planets and other matters.

M. D.	W.	Moon Souths.		Moon Constel.	N. C. S. C. Tenn., Ark., Ga., Ala., Miss., La., Texas		Moon R. & S.	JULY, 1881. Aspect of Planets and other matters.	Sun slow	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky.		Moon R. & S.
		h. m.	c. d.		Sun rises	Sun sets.				h. m.	Sun rises	
1	F	3	50		6	4 55	7 12 10 9	☉ in apogee.	4	4 35	7 32 10 10	
2	S	4	32		18	4 56	7 12 10 38	♂ ♀ ☾	4	4 36	7 31 10 36	
27.) 3d Sunday after Trinity. Day's length, 14h. 16m. Day's length, 14h. 55m.												
3	S	5	14		0	4 56	7 12 11 8	♂ in aphelion.	4	4 36	7 31 11	
4	M	5	59		13	4 57	7 11 11 40	4th. ♀ stationary.	4	4 37	7 31 11 29	
5	T	6	47		26	4 57	7 11 morn	☾ rises 2.1 m.	4	4 38	7 31 morn	
6	W	7	38		9	4 58	7 11 0 17	♂ ♀ ♄	5	4 38	7 31 0 2	
7	T	8	34		23	4 58	7 11 0 59	Antares s. 9.17 a.	5	4 39	7 30 0 41	
8	F	9	34		7	4 59	7 11 1 48	♄ gr. Hel. Lat. N.	5	4 39	7 30 1 27	
9	S	10	37		21	4 59	7 10 2 44	♂ rises 0.48 m.	5	4 40	7 30 2 23	
28.) 4th Sunday after Trinity. Day's length, 14h. 11m. Day's length, 14h. 49m.												
10	S	11	40		6	4 59	7 10 3 49	Vega s. 11.16 a.	5	4 41	7 30 3 27	
11	M	morn			21	5 0	7 10 rises.	11th. ☾ in perigee.	5	4 41	7 29 rises.	
12	T	0	42		7	5 1	7 9 8 3	♀ gr. elong. W. 46°.	5	4 42	7 29 8 13	
13	W	1	40		22	5 1	7 9 8 43	♂ rises 0.53 m.	6	4 42	7 28 8 49	
14	T	2	35		7	5 2	7 9 9 20	♂ Nep. ♄	6	4 43	7 28 9 21	
15	F	3	27		21	5 3	7 8 9 56	Altair s. 0.12 m.	6	4 44	7 27 9 52	
16	S	4	17		6	5 3	7 8 10 31	♄ rises 0.20 m.	6	4 45	7 27 10 23	
29.) 5th Sunday after Trinity. Day's length, 14h. 4m. Day's length, 14h. 41m.												
17	S	5	6		19	5 4	7 8 11 7	17th-18th. ♂ ♀ ☉ inf.	6	4 45	7 26 10 54	
18	M	5	55		2	5 5	7 7 11 45	♂ ♄ ☾	6	4 46	7 26 11 28	
19	T	6	45		15	5 5	7 7 morn	♀ gr. Hel. Lat. S. ♂ ♄ ☾	6	4 47	7 25 morn	
20	W	7	35		27	5 6	7 6 0 26	♂ ♄ ☾	6	4 48	7 24 0 7	
21	T	8	26		10	5 7	7 5 1 10	♂ ♀ ☾	6	4 49	7 23 0 49	
22	F	9	16		22	5 7	7 5 1 58	♂ ♄ ♄	6	4 50	7 23 1 37	
23	S	10	6		4	5 8	7 4 2 50	♀ gr. Hel. Lat. s	6	4 51	7 22 2 23	
30.) 6th Sunday after Trinity. Day's length, 13h. 56m. Day's length, 14h. 2m.												
24	S	10	54		15	5 8	7 4 3 44	♂ ♀ ☾	6	4 52	7 21 3 24	
25	M	11	40		27	5 9	7 3 4 37	25th-26th. Fom.s.2.38m	6	4 53	7 20 4 20	
26	T	ev.25			9	5 10	7 2 sets.	☾ in apogee.	6	4 54	7 19 sets.	
27	W	1	7		21	5 10	7 2 7 43	♀ stationary.	6	4 54	7 18 7 49	
28	T	1	49		3	5 11	7 1 8 11	♄ sets 8.50 a.	6	4 55	7 17 8 14	
29	F	2	31		15	5 12	7 0 8 40	♂ ♄ ☾	6	4 56	7 16 8 39	
30	S	3	13		27	5 12	6 59 9 10	Markab s. 2.27 m.	6	4 57	7 15 9 5	
31	S	3	56		9	5 13	6 58 9 42	Nep. rises 11.30 a.	6	4 58	7 14 9 32	

DR. HARTER'S

GERMAN VERMIFUGE CANDY



Never fails to destroy or expel the *Long Round Worm*, and can be given to any person or child, at any time, even while taking other medicines. It should always be taken when there are signs of Worms.

The most common disease and the one to which every child is subject, is Worms. Few children are free from this dreadful evil, from which arises most of the complaints

to which they are victims, and which tends at an early age, to sow seeds of future sickness, if it does not end—as is too often the case—in the death of the child. Worms cause much suffering, produce spasms, impair the health, injure the system, destroy the mind, and cause insanity.

The aversion which all children have to taking medicine, and the difficulty in inducing the child to take it, suggested to DR. HARTER the propriety of disguising his Vermifuge: so that the smallest child will not object to taking it, and he has succeeded beyond his most sanguine expectations.

DR. HARTER'S VERMIFUGE CANDY is safe, certain, and as pleasant as candy to eat, and at the same time sure to destroy the Worms.

Persons with Worms are sure to have some of the following

SYMPTOMS.—*Tongue coated; bad breath; bowels full, with grinding pains; either costive or diarrhæa discharges, slimy, bloody, or mixed with food; appetite changeable; picking the nose; lips swollen; nervous, fretful, restless, wakeful; starting and crying in sleep; grinding the teeth; eyes rolling and sunken; circles about the eyelids; fits, spasms, dry cough; feverish, pale and sickly; colicky; puking, purging, &c.*

DUBLIN, Wayne co., Ind., October 20, 1879.—*Dr. Harter:* My wife desires me to inform you of the salutary effect which your *German Vermifuge Candy* had upon our child. It had been suffering some time without our being able to give it relief, when we concluded to use your Medicine. Two lozenges were ample to free it from all distress, and we are glad to say it is now hale and hearty. Yours thankfully,
REV. W. C. DAY.

There are several varieties of Worms that infest the intestines of the human subject.

PIN, THREAD OR SEAT WORMS (*Ascarides*) are very small, varying from one-twelfth to one-half an inch in length. They affect the large intestines, more especially the rectum, which is often quite packed with them, causing great annoyance by an intolerable itching, which is often taken for a disease of the skin.

DR. HARTER'S PIN WORM REMEDY always acts promptly and efficiently.

AURORA, ARK., May 8, 1879.—*Dr. Harter:* Your PIN WORM REMEDY was received in due time, was taken according to directions, and the effect produced was all that could be desired. I was at once relieved of a great many Pin Worms, and since feel much better than I have for a number of years.

B. LEDBETTER.

The PIN WORM REMEDY is *not sent out on Commission*. The money must accompany all orders, as in no case will any attention be paid to them, unless the cash is sent, whether it be by Agents or others.

On the receipt of fifty cents, with the AGE and SEX given, we will send the PIN WORM REMEDY, with full directions, post-paid.

Dr. Harter's Vermifuge Candy always certain.

MOUNT MORRIS, March 28, 1875.—*Dr. Harter. Dear Sir:* One of my children was afflicted with worms. I procured a box of your VERMIFUGE CANDY. The third Lozenge from the box expelled about a dozen long round worms averaging about nine inches in length. I reserved one for Mr. Adderly, (your agent in this place). I have frequently tried other remedies to no effect.

JAS. SHARPE.



Dr. Harter's Soothing Drops for Summer Complaint.



8th Month—AUGUST—1881.

Moon's Phases.	Macon, Ga.			St. Louis.		
	d	h	m	d	h	m
First Quarter	2	11	8 a.m.	2	10	41 a.m.
Full Moon	9	3	33 a.m.	9	3	6 a.m.
Last Quarter	16	11	24 p.m.	16	10	57 p.m.
New Moon	24	3	11 a.m.	24	2	44 a.m.

Conjectures of the Weather—1 to 3 pleasant; to 6 clear; 7 to 10 sultry; 11 to 14 dry and hot; 16 to 20 sultry; 21, 22 cloudy; 23 to 26 showers; 27 to 29 fair and pleasant; 30, 31 cloudy.

M. W. D. D.	Moon Souths.		Moon Constel.		N. C. S. C. Tenn. Ark., Ga., Ala., Miss., La., Texas.		Moon R. & S.		Aspect of Planets and other matters.		Sun slow	Ohio, Ind., Ills. Mo., Iowa, Neb., Kansas, Ky.		Moon R. & S.	
	h.	m.	c.	d.	Sun rises	Sun sets.	h.	m.				Sun rises	Sun sets.	h.	m.
1 M	4	41	♉	22	5 14	6 57	10	16	Algenib s. 3.27 m.		6	4 58	7 13	10	2
2 T	5	30	♊	5	5 14	6 57	10	54	2d. ♀ rises 1.52 m.		6	4 59	7 12	10	38
3 W	6	22	♋	18	5 15	6 56	11	38	Vega s. 9.42 a.		6	5 0	7 11	11	19
4 T	7	19	♌	2	5 16	6 55	morn		□ ♄ ☽	♊	6	5 1	7 10	morn	
5 F	8	19	♍	16	5 16	6 54	0	29	Altair s. 10.46 a.	♊	6	5 2	7 9	0	7
6 S	9	20	♎	0	5 17	6 53	1	28	♄ gr. elong. W. 19°.		6	5 3	7 8	1	7
32.) 8th Sunday after Trinity. Day's length, 13h. 34m.															
7 S	10	22	♏	15	5 18	6 52	2	35	♄ rises 11.53 m.		5	5 4	7 7	2	15
8 M	11	21	♐	0	5 19	6 52	3	46	□ Nep. ☽		5	5 5	7 6	3	29
9 T	morn		♑	15	5 19	6 51	rises.		9th. ☾ in perigee.		5	5 6	7 5	rises.	
10 W	0	19	♒	0	5 20	6 50	7	14	Fomalhaut s. 1.36 m.		5	5 7	7 3	7	17
11 T	1	13	♓	15	5 21	6 49	7	52	Markab. s. 1 39 m.		5	5 8	7 2	7	50
12 F	2	6	♈	0	5 21	6 48	8	28	♄ in ♊		5	5 9	7 0	8	22
13 S	2	57	♉	14	5 22	6 47	9	5	♄ rises 11.3 a.		5	5 10	6 59	8	54
33.) 9th Sunday after Trinity Day's length, 13h. 22m.															
14 S	3	48	♊	28	5 23	6 45	9	44	Algenib s. 2.36 m.		4	5 11	6 58	9	29
15 M	4	39	♋	11	5 24	6 44	10	24	♄ ♄ ☾. ♄ Nep. ☾		4	5 12	6 56	10	6
16 T	5	30	♌	24	5 24	6 43	11	7	16th. ♀ in per. ♄ ♄ ☾		4	5 13	6 55	10	47
17 W	6	21	♍	6	5 25	6 42	11	55	□ Nep. ☽. ♄ ☾ ☾		4	5 14	6 53	11	33
18 T	7	12	♎	19	5 26	6 41	morn		♄ rises 10.11 a.	♊	4	5 15	6 52	morn	
19 F	8	2	♏	1	5 26	6 40	0	46	Nep. stationary.		3	5 16	6 51	0	24
20 S	8	51	♐	12	5 27	6 39	1	39	♄ ♄ ☾		3	5 17	6 49	1	19
34.) 10th Sunday after Trinity. Day's length, 13h. 11m.															
21 S	9	38	♑	5	5 27	6 38	2	33	Polaris s. 3.16 m.		3	5 18	6 48	2	15
22 M	10	23	♒	6	5 28	6 36	3	28	☾ in apogee.		3	5 19	6 46	3	12
23 T	11	6	♓	18	5 29	6 35	4	22	♄ ☽ ☾		2	5 20	6 45	4	10
24 W	11	49	♈	0	5 30	6 34	sets.		24th. ♄ stationary.		2	5 21	6 44	sets.	
25 T	ev. 30		♉	12	5 30	6 33	6	44	♄ ☽ ☾		2	5 22	6 42	6	44
26 F	1	12	♊	24	5 31	6 32	7	14	♄ gr. Hel. Lat. N.		2	5 22	6 41	7	10
27 S	1	55	♋	6	5 31	6 30	7	46	☽ sets 6.56 a.		1	5 23	6 39	7	37
35.) 11th Sunday after Trinity Day's length, 12h. 57m.															
28 S	2	40	♌	19	5 32	6 29	8	18	Achernar s. 3.7 m.		1	5 24	6 38	8	6
29 M	3	27	♍	2	5 33	6 28	8	54	Arietis s. 3.30 m.		1	5 25	6 36	8	38
30 T	4	17	♎	15	5 33	6 27	9	36	Nep. rises 9.33 a.		0	5 26	6 35	9	17
31 W	5	11	♏	28	5 34	6 25	10	24	♄ ☽ ☽ sup.		0	5 27	6 33	10	3



NO MISTAKE.


OR the permanent cure of all kinds of Ague, **DR. HARTER'S FEVER AND AGUE SPECIFIC** stands unrivaled in the world's history. It has stood the test of years, and universal use in the most malarial districts. A dose will certainly stop the severest chill, and a continuance always cures; not merely removing for a time the symptoms, but eradicating the cause of the disease.

MR. JACOB BOSCH, *Supt. of Poor Farm, Warren-ton Co., Mo.*, writes Jan. 26th, 1879: "One of my boys, six years of age, had Chills and Fever for three years; had three of our best physicians at different times, and have tried various Fever and Ague remedies with no benefit. A friend suggested **DR. HARTER'S FEVER AND AGUE SPECIFIC** in connection with **DR. HARTER'S LIVER PILLS**, and it is with pleasure I inform you of his complete recovery. I consider it the ONLY Chill and Fever Medicine that I can recommend."

CONCORDIA, MO., July 11, 1877.—*Dr. Harter:* Dear Sir—Your **TAPE WORM REMEDY** was received in due time, and nine hours after I had taken the last dose, I passed fifty feet of Tape Worm. I am now quite another person. I have been troubled with this terrible pest for eleven years, and until I tried your **REMEDY**, was not able to get any relief. Feeling grateful to you for the great cure, I am yours truly,
JERRY BREEN.

MR. WILLIAM KENNRDY, of *Minonk, Woodford Co., Ills.*, writes, March 6, 1880: "The **TAPE WORM MEDICINE** you sent me has done all that could be desired. The girl took it according to directions, and after taking the second dose she passed thirty feet of Tape Worm, with the head. We feel indebted to you for this excellent cure, and do conscientiously recommend it to all who are suffering from this terrible monster."

Bilious or Sick Headache depends upon the torpidity of the Liver, and a disturbed condition of the Digestive Organs, and is accompanied by Nausea, and other symptoms of gastric irritation. A few doses of **DR. HARTER'S LIVER PILLS** afford relief, by correcting the secretions and giving a healthy tone to the alimentary canal.



TAPE WORM.

This worm often acquires a very great length—from thirty to forty feet and more. It is from four to ten lines in breadth, flat, white, and composed of a series of links and joints, resembling a piece of tape. The head is armed with two processes, by which the worm attaches itself to the intestines. It habits the upper portion of the bowels and stomach. It is never voided whole; it passes off in pieces of a greater or less number of joints or single joints.

TAPE-WORM SYMPTOMS.—The symptoms which usually arise are countenance pale, lead colored, with occasional transient flushes; eyes dull; pupils dilated, with a bluish semi-circle around the lower eye-lids; tickling of the nose; tumid upper lip: occasional headache and humming in the ears; breath foul; variable appetite, being sometimes voracious, at others wholly gone; transient pains in the stomach; occasional nausea and vomiting; pains in the abdomen; frequent slimy stools, or costiveness; emaciation of other parts of the body; lassitude; irritability of temper. None of these symptoms are positive, the only certain indications being the appearance of pieces in the evacuations from the bowels or stomach.

On the receipt of \$2.00 for **TAPE WORM REMEDY**, with the age and sex given, we will send the medicines postpaid. On no account will we send the remedy unless the cash accompanies the order, whether to Agents or not.

MESSES. A. W. BANTA & BRO., *Benton, Indiana*, write, Sept. 9th, 1877: "Send us more **AGUE SPECIFIC** as early as possible; we have but two bottles on hand. We can truthfully say that your Ague Cure caps all others that we have ever heard of or handled. We have sold every bottle under a guarantee, and as yet not a single bottle has been returned to us."

At a meeting of a parish, a straight faced and most exemplary deacon submitted a report in writing, of the destitute widows and others who stood in need of assistance from the parish. "Are you sure, deacon, that you have embraced all the widows?" He said he believed he had.

Dr. Harter's Vermifuge Candy is sure to destroy Worms.

Dr. Harter's Liver Pills Restore the Secretions.



9th Month—SEPTEMBER—1881.

Moon's Phases.			Macon, Ga.			St. Louis.		
	d	h	m	d	h	m		
First Quarter	1	8	24 p.m.	1	8	1 p.m.		
Full Moon	7	11	5 a.m.	7	10	3 a.m.		
Last Quarter	15	2	27 p.m.	15	2	4 p.m.		
New Moon	23	6	20 p.m.	23	5	53 p.m.		
First Quarter	30	4	14 a.m.	30	3	47 a.m.		

Conjectures of the Weather.—1 to 5 sultry; 6 to 10 warm; 11 to 13 clear and pleasant; 16, 17 cloudy or rainy; 18 to 20 warmer; 21 to 23 storm; 24 to 26 pleasant; 27 to 30 clear.

D. D.	Moon Souths.	Moon Constel.		N.C.S.C., Tenn., Ark., Ga., Ala., Miss., La., Texas.		Moon R. & S.		SEPTEMBER, 1881.	Sun fast.	Ohio, Ind., Ills. Mo., Iowa, Neb., Kansas, Ky.		Moon R. & S.			
		h. m.	c. d.	Sun rises	Sun sets.	h. m.	Aspect of Planets and other matters.			Sun	Sun rises	Sun sets	h. m.		
1	T	6	8		11	5 35	6 24	11 17		1st. Vega s. 7.48 a.	♊	0	5 28	6 32	10 55
2	F	7	6		25	5 35	6 23	morn		♀ rises 2.21 m.	♊	1	5 29	6 30	11 56
3	S	8	6		9	5 36	6 21	0 17		♂ ♃ ♄		1	5 30	6 28	morn

36.) 12th Sunday after Trinity. Day's length, 12h. 43m. Day's length, 12h. 56m.

4	S	9	4	24	5	37	6 20	1	24		Altair s. 8.48 a.		1	5	31	6	27	1	5
5	M	10	2	9	5	37	6 19	2	34		♂ rises 11.3 a.		2	5	32	6	25	2	19
6	T	10	57	24	5	38	6 17	3	45		♂ ♃ ☉. ☾ in perigee.		2	5	33	6	24	3	34
7	W	11	51	9	5	38	6 16	4	55		7th. Fomalh. s. 11.42 a.		2	5	34	6	22	4	50
8	T	morn		24	5	39	6 15	rises.			Markab s. 11.45 a.		3	5	35	6	20	rises.	
9	F	0	43	8	5	40	6 13	6	58		Algenib s. 0.53 m.		3	5	36	6	19	6	50
10	S	1	36	23	5	40	6 12	7	38		♂ rises 9.18 a.		3	5	36	6	17	7	25

37.) 13th Sunday after Trinity. Day's length, 12h. 30m. Day's length, 12h. 39m.

11	S	2	28		7	5	41	6	11	8	19	 ♃ ☾	4	5	37	6	16	8	2
12	M	3	20		20	5	42	6	9	9	3	♃ Nep. ☾	4	5	38	6	14	8	44
13	T	4	13		3	5	43	6	8	9	49	♃ ♃ ☾. ♀ in ♋	4	5	39	6	12	9	28
14	W	5	5		15	5	43	6	7	10	40	 15th. ♃ stationary. ☾ ☿	5	5	40	6	11	10	18
15	T	5	56		27	5	44	6	5	11	33	♃ ☾ ☾	5	5	41	6	9	11	12
16	F	6	46		9	5	44	6	4	morn		Polaris s. 1.34 m.	5	5	42	6	8	morn	
17	S	7	34		21	5	45	6	3	0	26	♃ rises 8.12 a.	6	5	43	6	6	0	7

38.) 14th Sunday after Trinity. Day's length, 12h. 16m. Day's length, 12h. 20m.

18	S	8 19		3	5 46	6 2	1 21	☾ in apogee.	6	5 44	6 4	1 4
19	M	9 3		15	5 46	6 0	2 15	☿ in ☿	6	5 45	6 2	2 2
20	T	9 46		27	5 47	5 59	3 9	♂ ♀ ☾	7	5 46	6 1	3 0
21	W	10 28		9	5 48	5 58	4 4	☐ ♀ ☉. ♂ ♀ ☾	7	5 47	5 59	3 59
22	T	11 11		21	5 48	5 56	5 0	☉ ent. = Autumn begins	7	5 48	5 57	4 58
23	F	11 54		3	5 49	5 55	sets.	23d. ☿ rises 4.36 m.	8	5 49	5 55	sets.
24	S	ev. 38		16	5 50	5 53	6 20	♂ ♀ ☾	8	5 50	5 54	6 9

39.) 15th Sunday after Trinity. Day's length, 12h. 2m. Day's length, 12h. 1m.

25	S	1	25	29	5	50	5	52	6	57	♂ ♀ Leonis.		9	5	51	5	52	6	43
26	M	2	15	12	5	51	5	51	7	37	♂ in ♍		9	5	52	5	51	7	20
27	T	3	8	25	5	52	5	49	8	23	Achernar s. 1.9 m.		9	5	53	5	49	8	3
28	W	4	3	8	5	52	5	48	9	14	Nep. rises 7.38 a.	♍	10	5	54	5	47	8	53
29	T	5	0	22	5	53	5	47	10	11	♂ in aphelion	♍	10	5	55	5	46	9	50
30	F	5	58	6	5	54	5	45	11	14	30th. Arietis s. 1.24 m.	♍	10	5	56	5	44	10	55

Dr. Harter's Ague Specific is Speedy and Certain to Cure.

DR. HARTER'S

LUNG BALM



Is indispensable and absolutely necessary in all diseases of the Throat and Lungs, Consumption, Bronchitis, Asthma, Croup, Whooping-Cough, Colds, Lung-Fever, Pneumonia, Hoarseness, Difficulty in Breathing, Pain or Soreness in the Chest,

and all diseases of the Air-tubes.

"This valuable preparation has no superior in the world," is what hundreds will testify, who have had occasion to use this sovereign remedy. This BALM has a peculiar healing effect on the diseases above named.

RUSK, CHEROKEE CO, TEXAS, Oct. 28, 1877.—*Dr. Harter:* Dear Sir—I have had a very severe cough for some months. I used a number of remedies, and none of them afforded me any relief. DR. HARTER'S LUNG BALM was recommended to me. I was relieved at once by the use of this sovereign REMEDY. Before I commenced using your LUNG BALM, I was unable to go about, but now I am able to be out and attend to my business. I feel assured that it will CURE me. THOMAS E. WIGGINS.

DR. HARTER'S LUNG BALM allays the pain, heals the sores and ulcers in the Lungs. It does not dry the lungs, like cough medicines, but assists nature to expel the matter; it checks and finally cures the most distressing, hacking and irritable Cough, which would, if not attended to in time, result in Consumption. On the first appearance of a cough, DR. HARTER'S LUNG BALM should be used. Delays are dangerous; neglecting a "slight cold" has in many cases resulted in death. Do not suffer this disease to knit its fatal threads in your system; it is certain to hurry you to an untimely grave.

For a violent cough, or when a person has taken a sudden and violent cold, and is "all stopped up;"

where there is no expectoration or running at the nose, DR. HARTER'S LUNG BALM is just what is necessary. Take this valuable medicine according to directions, and it will surely break the most distressing cough or sudden cold.

PINE HILL, TEXAS, March 6, 1877.—*Dr. Harter:* Dear Sir—Your ASTHMA REMEDY was received in due time. I am very much pleased with it. When I received it I was suffering very much with asthma; could scarcely get my breath; I used the ASTHMA REMEDY, and relief was almost instantaneous. Since that time I have been troubled but very little.

MRS. M. J. CLINTON.




ASTHMA may be defined as being a *Nervous, Spasmodic Disorder of the Chest or Respiratory Organs*, characterized by *great difficulty of breathing*, recurring in paroxysms at regular intervals, attended with a feeling of *constriction of the Chest*, and accompanied by a *loud, wheezing sound of respiration, cough with distressing and laborious breathing*, almost

amounting to inability of respiration, or want of power to inspire sufficient air to fill the lungs.

On the receipt of \$2, with history of the case, and age and sex given, we send the ASTHMA REMEDY. Persons afflicted with this distressing disease should at once procure a package of this valuable remedy. It is only put up as ordered.

F. M. HOWARD, *Justice of the Peace*, OF MONA CO., IOWA writes, April 26th, 1879: "An old lady residing here, has been raised from a sick bed by the use of DR. HARTER'S LUNG BALM, after all of the doctors had given her up."

Use Dr. Harter's Lung Balm for Soreness in the Chest.



10th Month—OCTOBER—1881.

Moon's Phases.	Macon, Ga.			St. Louis.		
	d	h	m	d	h	m
Full Moon.	7	8	25 p.m.	7	7	58 p.m.
Last Quarter	14	8	52 a.m.	14	8	25 a.m.
New Moon	22	8	57 a.m.	22	8	30 a.m.
First Quarter	29	11	13 a.m.	29	10	46 a.m.

Conjectures of the Weather—1 to 3 pleasant; 4 to 6 clear; 7 to 10 cloudy; 11 to 14 warm; 16 to 20 variable; 21, 22 cloudy; 23 to 26 rainy; 27 to 29 fair and pleasant; 30, 31 clear.

M. D.	W. D.	Moon Souths.		Moon Constel.	N. C., S. C., Tenn., Ark., Ga., Ala., Miss., La., Texas.		Moon R. & S.		Aspect of Planets and other matters.	Sun fast.	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky.		Moon R. & S.		
		h. m.	c. d.		Sun rises: Sun sets.	h. m.	Sun rises: Sun sets.	h. m.			Sun rises: Sun sets.	h. m.			
1	S	6 55		20	5 54	5 44	morn	Altair s. 7.2 a.			10	5 57	5 43	morn	
40.) 16th Sunday after Trinity. Day's length, 11h. 48m. Day's length, 11h. 4m.															
2	S	7 50		4	5 55	5 43	0 21	♀ rises 3.16 m.			11	5 58	5 41	0 4	
3	M	8 44		18	5 56	5 42	1 29	Fomalhaut s. 9.59 a.			11	5 59	5 39	1 16	
4	T	9 37		3	5 56	5 40	2 37	♄ in perigee.			11	6 0	5 38	2 28	
5	W	10 29		18	5 57	5 39	3 44	Markab s. 9.59 a.			12	6 1	5 36	3 41	
6	T	11 21		2	5 58	5 38	4 52	Algenib s. 11.3 a.			12	6 2	5 35	4 54	
7	F	morn		17	5 59	5 36	rises.	 7th. ♂ rises 10.3 a.			12	6 3	5 33	rises.	
8	S	0 14		1	6 0	5 35	6 11	 ♂ ♃ ♄			13	6 4	5 31	5 56	
41.) 17th Sunday after Trinity. Day's length, 11h. 34m. Day's length, 11h. 25m.															
9	S	1 7		15	6 0	5 34	6 54	♂ Nep. ♄			13	6 5	5 30	6 36	
10	M	2 0		28	6 1	5 33	7 41	♂ ♃ ♄. ♂ ♄ ♀			13	6 6	5 28	7 21	
11	T	2 54		11	6 2	5 31	8 31	Polaris s. 11.52 a.			13	6 7	5 27	8 10	
12	W	3 47		23	6 2	5 30	9 23	Achernar s. 0.10 m. ♄ ♃			14	6 8	5 25	9 2	
13	T	4 38		5	6 3	5 29	10 17	♂ ♃ ♄			14	6 9	5 23	9 58	
14	F	5 27		17	6 4	5 28	11 12	 14th. ♃ rises 7.0 a.			14	6 10	5 22	10 53	
15	S	6 14		29	6 5	5 26	morn	 ♄ gr. elong E. 25°.			14	6 11	5 20	11 53	
42.) 18th Sunday after Trinity. Day's length, 11h. 20m. Day's length, 11h. 7m.															
16	S	6 59		11	6 5	5 25	0 7	♄ in apogee.			14	6 12	5 19	morn	
17	M	7 42		23	6 6	5 24	1 1	♀ in perihelion.			15	6 13	5 17	0 50	
18	T	8 24		5	6 7	5 23	1 55	Arietis s. 0.13 m.			15	6 14	5 16	1 48	
19	W	9 6		17	6 8	5 22	2 50	♂ ♄ ♄. ♄ gr. Hel. Lat. S.			15	6 15	5 14	2 47	
20	T	9 49		29	6 8	5 21	3 45	♂ ♄ ♄			15	6 17	5 13	3 46	
21	F	10 33		12	6 9	5 20	4 43	 ♃ rises 5.53 a.			15	6 18	5 11	4 48	
22	S	11 20		25	6 10	5 19	5 41	 22d. Aldebar. s. 2.26 m.			16	6 19	5 10	5 49	
43.) 19th Sunday after Trinity. Day's length, 11h. 7m. Day's length, 10h. 49m.															
23	S	ev. 9		8	6 11	5 18	sets.	Capella s. 3.0 m.			16	6 20	5 9	sets.	
24	M	1 2		21	6 11	5 17	6 20	♂ ♄ ♄			16	6 21	5 8	6 0	
25	T	1 58		5	6 12	5 15	7 10	Rigel s. 2.53 m.			16	6 22	5 6	6 49	
26	W	2 55		19	6 13	5 14	8 6	♄ rises 2.36 m.			16	6 23	5 5	7 45	
27	T	3 53		2	6 14	5 13	9 9	♄ stationary.			16	6 24	5 4	8 49	
28	F	4 50		16	6 15	5 12	10 13	 Canopus s. 3.54 m.			16	6 25	5 3	9 56	
29	S	5 45		0	6 16	5 12	11 19	 29th. Sirius s. 4.9 m.			16	6 26	5 1	11 5	
30	S	6 39		14	6 16	5 11	morn	Nep. rises 5.30 a.			16	6 28	5 0	morn	
31	M	7 30		29	6 17	5 10	0 26	♄ in perigee.			16	6 29	4 58	0 17	

Dr. Harter's Liver Pills have a direct action on the Liver.

THE MIDNIGHT HORROR.

CROUP. DR. HARTER'S LUNG BALM always in the house is a safeguard against this terrible disease, that comes on in the night, as is too often the case, when there is nothing in the house to combat this deadly foe. In going for a physician or procuring a remedy, valuable time is lost, which oftentimes proves fatal to the child; with such a remedy as DR. HARTER'S LUNG BALM in the house, one need have no fear. Given at the first symptoms, it will always prevent the attack; or if given while the child is suffering with the Croup, it will afford relief in an incredibly short time.

Our assertions are always corroborated by those who use our medicines.

ELBA, April 8th, 1879.—*Dr. Harter:* My wife and three children had severe coughs and colds. Nothing gave them any relief until they commenced using DR. HARTER'S LUNG BALM, which has entirely cured them. In my opinion there is nothing equal to this famous remedy. JAMES P. CARTER,
Justice of the Peace of Cobb Co., Ala.

MESSRS. SPOULE & Co., *Stilesboro, Ga.*—*Dr. Harter:* Your LUNG BALM is giving universal satisfaction. Our Mr. J. F. Sproule has used it, and says it is the best lung medicine he ever used. Drs. Sims and Beazely are using it in their practice for Lung Diseases, and recommend it highly.

WM. FRANK, of *Washington, Kansas*, writes, Oct. 15, 1878: "I had the Ague in Ohio eight years ago; could find nothing that would cure me till I used DR. HARTER'S AGUE SPECIFIC. One bottle cured me. Have not had the Ague since. I am selling a great deal of it. Never had a single bottle returned. One of my customers told me that he had spent five dollars for different Ague preparations, but with no success. Half a bottle of DR. HARTER'S AGUE SPECIFIC cured him. No more Chills since using it."

MR. S. A. REEVES, of *Orangeburg, S. C.*, writes, May 7th, 1879: "I am a living witness of the great efficacy of DR. HARTER'S IRON TONIC. I was in very bad health. I resorted to various remedies without any benefit; in a short time after using the IRON TONIC I was restored to health. I do sincerely believe that it will cure the worst case of Dyspepsia."

Let every family keep DR. HARTER'S LIVER PILLS in the house. If faithfully used when there is occasion for medicine it will be very seldom that a Doctor will be required. They are entirely vegetable. They have not an equal in the world.

MR. JNO. C. O'NEAL, of *Greenville, Hunt Co., Texas*, writes, June 12th, 1879: "My little girl has been suffering for two years with Chronic Diarrhœa. All other remedies failing, I was induced to try DR. HARTER'S LINIMENT, which has resulted in a permanent cure. I only used one twenty-five cent bottle."

THOMAS A. CRENSHAW, of *Athens, Ala.*, writes, Jan. 12th, 1880. "I had Chills for three years. Nothing did me any good until I commenced using DR. HARTER'S FEVER AND AGUE SPECIFIC, which has made a complete cure. There are many others in this community that have been benefitted as I have been."

AN ordinary or simple intermittent may prove remotely serious, if it continues long, or recur frequently, by causing Anæmia (loss of red blood corpuscles,) General Dropsy or Blood Poisoning. Death may result from the association of intermittent fever with other affections. Don't delay. DR. HARTER'S FEVER AND AGUE SPECIFIC never fails to cure Intermittent Fever. Always certain.


DR. J. A. LEWIS, *Pigeon Roost, Miss.*, says: "I have been a practicing Physician for a number of years, and have studied closely the healing art, and have been successful in my practice; yet I have never been able to obtain or compound a remedy so universally successful as your FEVER AND AGUE SPECIFIC. I have used it in many cases, and do unhesitatingly pronounce it the best remedy extant."

In all cases of enlarged Spleen, we would advise the use of DR. HARTER'S FEVER AND AGUE SPECIFIC and IRON TONIC. We have testimonials from many persons who have been cured by these famous remedies.

"Ma'm," said a little boy to his Sunday school teacher, "is coffer-dam swearing?" "No, my dear, what makes you ask?" "Only that uncle John said that if it hadn't been for DR. HARTER'S LUNG BALM, aunt Mary would cough-er dam head off."

"I wish, Sally," said Jonathan, "that you were locked in my arms, and the key was lost."

Dr. Harter's Liniment Cures Neuralgia.



11th Month—NOVEMBER—1881.

Moon's Phases.	Macon, Ga.			St. Louis.		
	d	h	m	d	h	m
Full Moon...	5	8	29 a.m.	5	8	2 a.m.
Last Quarter	13	5	27 a.m.	13	5	6 a.m.
New Moon...	21	10	47 p.m.	21	10	20 p.m.
First Quarter	28	6	27 p.m.	28	6	0 p.m.

Conjectures of the Weather.—1 to 5 cloudy; 6 to 10 clear; 11 to 13 cool and pleasant; 16, 17 cloudy or rainy; 18 to 20 warmer; 21 to 23 rain; 24 to 26 pleasant; 27 to 30 clear or partly cloudy.

D. M.	D. S.	Moon		N. C. S. C. Tenn., Ark., Ga., Ala., Miss., La., Texas.		Moon		R. & S.	NOVEMBER, 1881.		Sun fast.	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky.		Moon
		Souths.	Constel	Sun rises	Sun sets.	h. m.	Aspect of Planets and other matters.		Sun rises	Sun sets.		h. m.		
		h. m.	c. d.											
1	T	8 21		13	6 18	5 9	1 32		♂ ♃ ☉	16	6 30	4 57	1 27	
2	W	9 11		27	6 19	5 8	2 38		♀ rises 4.18 m.	16	6 31	4 56	2 38	
3	T	10 2		11	6 20	5 7	3 43		Fomalhaut s. 7.57 a.	16	6 32	4 55	3 47	
4	F	10 54		25	6 21	5 6	4 47		Markab s. 8.1 a.	16	6 34	4 54	4 55	
5	S	11 47		9	6 22	5 6	5 52		♂ ♃ ☉. ♂ ♃ ♄. ♂ ♃ ♄.	16	6 35	4 53	6 4	
45.) 21st Sunday after Trinity. Day's length, 10h. 42m. Day's length, 10h. 16m.														
6	S	morn		22	6 23	5 5	5 rises.		♂ ♃ ☉	16	6 36	4 52	rises.	
7	M	0 41		5	6 24	5 4	6 19		♂ ♃ ☉. ♂ ♃ ☉ inf.	16	6 37	4 51	5 58	
8	T	1 35		18	6 25	5 3	7 11		♂ in ☉. ♂ gr. H.L.N. ☉ ☿	16	6 38	4 50	6 50	
9	W	2 27		1	6 26	5 2	8 6		♂ rises 8.29 a.	16	6 40	4 49	7 46	
10	T	3 18		13	6 26	5 1	9 4		♂ ☿ ☉	16	6 41	4 48	8 44	
11	F	4 6		25	6 27	5 1	9 58		Algenib 8.42 a.	16	6 42	4 47	9 43	
12	S	4 52		7	6 28	5 0	10 53		♂ in perihelion.	16	6 43	4 46	10 41	
46.) 22d Sunday after Trinity. Day's length, 10h. 31m. Day's length, 10h. 1m.														
13	S	5 36		19	6 29	5 0	11 46		13th. ♂ ♃ ☉. ☉ in apo.	15	6 44	4 45	11 38	
14	M	6 18		1	6 30	4 59	morn		☿ sets 6.32 m.	15	6 45	4 44	morn	
15	T	7 0		13	6 31	4 59	0 38		Polaris s. 9.34 a.	15	6 46	4 43	0 34	
16	W	7 42		25	6 32	4 58	1 33		♂ ☿ ☉	15	6 47	4 42	1 33	
17	T	8 25		7	6 33	4 58	2 29		♂ stationary. ♀ station'y	15	6 48	4 41	2 32	
18	F	9 11		20	6 34	4 57	3 27		♂ sets 5.8 m.	15	6 49	4 41	3 34	
19	S	9 59		3	6 35	4 57	4 26		♂ ♃ ☉	14	6 51	4 40	4 37	
47.) 23d Sunday after Trinity. Day's length, 10h. 20m. Day's length, 9h. 48m.														
20	S	10 51		17	6 36	4 56	5 28		♂ ☿ ☉	14	6 52	4 40	5 42	
21	M	11 47		0	6 36	4 56	sets.		21st. Acher.s.9.28 m. ☿	14	6 53	4 39	sets.	
22	T	ev.45		14	6 37	4 56	5 56		♂ gr. Hel. Lat. N. ☉	14	6 54	4 38	5 35	
23	W	1 45		29	6 38	4 55	6 59		♂ rises 0.51 m.	13	6 55	4 38	6 39	
24	T	2 44		13	6 39	4 55	8 4		♂ gr. elong. W. 20°.	13	6 57	4 37	7 46	
25	F	3 41		27	6 40	4 55	9 12		☉ in perigee.	13	6 58	4 37	8 57	
26	S	4 35		11	6 41	4 54	10 19		Arietis s. 9.36 a.	12	6 59	4 36	10 8	
48.) 1st Sunday in Advent. Day's length, 10h. 12m. Day's length, 9h. 36m.														
27	S	5 28		26	6 42	4 54	11 25		Aldebaran s. 0.4 m.	12	7 0	4 36	11 19	
28	M	6 18		10	6 42	4 54	morn		28th. ♀ ♃ ☉ sets 5.6 m.	12	7 1	4 35	morn	
29	T	7 7		24	6 43	4 54	0 29		Capella s. 0.35 m.	12	7 2	4 35	0 27	
30	W	7 57		8	6 44	4 54	1 33		Rigel s. 0.32 m.	12	7 3	4 35	1 35	

Dr. Harter's Vermifuge Candy is Sure to Destroy Worms.

Dr. Harter's Liver Pills are what you Need.

DR. HARTER'S

Fever and Ague Specific Pills



Are prepared from the same class of medicines as those used in the SPECIFIC, in bottles, and will cure the same kind of diseases, and may be given in all cases where the SPECIFIC is recommended,

with full confidence of success. These Pills are VALUABLE, CHEAP, SAFE, SPEEDY and CERTAIN to cure.

The "old story" Told Over and Over Again.

"DR. HARTER'S FEVER AND AGUE SPECIFIC cures after everything else fails."

PARKER'S STORE, IND., April 13, 1877.—*Dr. Harter—Dear Sir:* Your medicines are selling well here, and giving good satisfaction. I used DR. HARTER'S FEVER AND AGUE SPECIFIC twelve years ago, and it cured me after everything else had failed. I used many other Ague preparations, but nothing did me any good until I used your AGUE SPECIFIC. Have not had the Ague since.

C. A. BROWN.

LATENT, INTERMITTENT FEVER.—In these cases the paroxysms are not fully developed, but the patient complains of indifferent ailments, to which the term biliousness is frequently applied. The appetite is impaired or lost; there may be nausea or occasional vomiting, with pain in the head, indisposition to exertion, &c. The tongue is frequently covered with a thin white coating. A close examination will sometimes disclose evidence of periodicity of an increase of ailments at regular periods on successive or alternate days; these cases are sometimes called Dumb Ague, which are controlled the same as ordinary Chills and Fever by that peerless remedy, DR. HARTER'S FEVER AND AGUE SPECIFIC.

Read what a prominent Physician of Alabama says of DR. HARTER'S FAMILY MEDICINES:

DR. WM. B. COLQUITT, of *Bullock, Crenshaw Co., Ala.*, says: "I gave your FEVER AND AGUE SPECIFIC to several of my patients who had chronic Chills, and in every case it acted like a charm. Used the AGUE PILLS and VERMIFUGE CANDY with the same success. The VERMIFUGE CANDY excels anything I ever used in my practice. I have been a practicing Physician for over thirty years, and as an act of justice to you and to the public, I make this statement concerning your Medicines. I fully endorse your Circulars, and say to the afflicted they can find no better remedial agents."

Neuralgia of Ten Year's Duration Cured.

JOHN W. LAUNVILLE, *Blairsville, Williamson Co., Ills.*, says: "I have used your medicines in my family for the past four years, and they have given entire satisfaction. The AGUE PILLS are a sure death to Neuralgia. They cured me after having it for ten years."

It is best, in every case of *Fever and Ague*, that the bowels should be moved before commencing the use DR. HARTER'S FEVER AND AGUE SPECIFIC, by a purgative, such as DR. HARTER'S LIVER PILLS. These valuable Pills, when taken with DR. HARTER'S FEVER AND AGUE SPECIFIC, are productive of the most happy results. No better Cathartic can be used, preparatory to or after taking the SPECIFIC.


DR. T. B. YOUNGBLOOD, of *Little York, Mo.*, says: "I have no disposition to boast of the merits of any patent medicine, but must say that DR. HARTER'S FAMILY MEDICINES are the best I ever sold. I have used your FEVER AND AGUE SPECIFIC and other remedies in my practice, and can heartily recommend them to the public."

THOMAS A. CRENSHAW, of *Athens, Ala.*, writing Jan. 12th, 1880, says: "I had Chills for three years. I was unable to cure them until I commenced the use of DR. HARTER'S FEVER AND AGUE SPECIFIC, which cured me in an incredibly short time."

MESSRS. TURNER & TAYLOR, of *Waynesboro, Mississippi*, writing Aug. 30th, 1879, say: "DR. HARTER'S MEDICINES give general satisfaction, and it is a pleasure for us to sell them."

When Fatigued Use Dr. Harter's Elixir of Wild Cherry.

Dr. Harter's Soothing Drops, the Mother's Friend.



12th Month—DECEMBER—1881.

Moon's Phases.			Macon, Ga.			St. Louis.		
	d	h m		d	h m			
Full Moon...	5	11 40 p.m.		5	11 13 p.m.			
Last Quarter	13	2 31 a.m.		13	2 4 a.m.			
New Moon...	20	11 33 a.m.		20	11 6 a.m.			
First Quarter	27	3 38 a.m.		27	2 41 r.m.			

Conjectures of the Weather.—1 to 5 cloudy; 6 to 10 cool and pleasant; 11 to 15 clear; 16, 17 cloudy or rainy; 18 to 20 cold; 21 to 23 clear; 24 to 26 pleasant; 27 to 30 clear or partly cloudy; 31 threatening.

D. M.	D. W.	Moon Souths h. r.	Moon Couste! c. d.	N. C. S. C., Tenn., Ark., Ga., Ala., Miss., La., Texas.			Moon R. & S h. m.	DECEMBER, 1881. Aspect of Planets and other matters.	Sun fast	Ohio, Ind., Ills. Mo., Iowa, Neb., Kansas, Ky.			Moon R. & S. h. m.
				Sun rises	Sun sets					Sun rises	Sun sets		
1	T	8 47		21	6 45	4 54	2 37	♀ rises 5.22 m.	11	7 4	4 35	2 44	
2	F	9 58		5	6 46	4 54	3 41	♂ ♃ ☾	10	7 5	4 35	3 52	
3	S	10 31		18	6 47	4 54	4 43	♂ Nep. ☽ ♂ ♃ ☾	10	7 6	4 35	4 57	
49.) 2d Sunday in Advent.				Day's length, 10h. 7m.				Day's length, 9h. 27m.					
4	S	11 24		1	6 47	4 54	5 43	♂ ♀ ♀	9	7 6	4 34	6 0	
5	M	morn		14	6 48	4 54	5 18	5th. ♀ rises 6.34 a. ☾	9	7 8	4 34	1 rises.	
6	T	0 17		26	6 49	4 54	5 55	Algenib s. 7.3 a. ☽	9	7 9	4 34	5 34	
7	W	1 9		9	6 50	4 54	6 50	♂ ♃ ☾	8	7 10	4 34	6 31	
8	T	1 58		21	6 51	4 54	7 46	♂ ♀ ♀' Scorpii.	8	7 11	4 34	7 29	
9	F	2 46		3	6 52	4 54	8 42	Polaris s. 8.0 a.	7	7 11	4 34	8 28	
10	S	3 30		15	6 52	4 55	9 36	☐ ☽ ☽. ♂ ♀ ♀' Scorpii.	7	7 12	4 34	9 26	
50.) 3d Sunday in Advent.				Day's length, 10h. 2m.				Day's length, 9h. 21m.					
11	S	4 13		27	6 53	4 55	10 29	☾ in apogee.	6	7 13	4 34	10 23	
12	M	4 55		9	6 54	4 55	11 23	☽ sets 4.26 m.	6	7 14	4 34	11 20	
13	T	5 36		21	6 54	4 55	morn	13th. ♂ ♃ ☾	5	7 14	4 35	morn	
14	W	6 18		3	6 55	4 55	0 16	Achernar s. 7.58 a.	5	7 15	4 35	0 18	
15	T	7 2		15	6 56	4 56	1 12	Arietis s. 8.21 a.	4	7 15	4 36	1 18	
16	F	7 48		28	6 56	4 56	2 10	♂ in ☽	4	7 16	4 36	2 19	
17	S	8 37		11	6 57	4 57	3 10	Aldebaran s. 10.42 a.	3	7 17	4 36	3 23	
51.) 4th Sunday in Advent.				Day's length, 10h. 0m.				Day's length, 9h. 20m.					
18	S	9 31		25	6 57	4 57	4 12	♂ sets 3.4 m.	3	7 17	4 37	4 28	
19	M	10 28		9	6 58	4 58	5 14	♂ ♀ ☾	2	7 18	4 37	5 32	
20	T	11 28		23	6 58	4 58	6 16	20th. ♂ ♀ ☾ ☽	2	7 18	4 38	6 35	
21	W	ev. 29		7	6 59	4 59	sets.	☼ cent. ☽ winter begins	1	7 19	4 38	sets.	
22	T	1 29		22	6 59	4 59	6 56	Capella s. 11.1 a.	1	7 19	4 39	6 39	
23	F	2 27		7	7 0	5 0	8 5	☽ station'y. ☾ in perigee.	0	7 20	4 39	7 53	
24	S	3 22		22	7 0	5 0	9 14	☽ rises 10.47 a.	sl.	7 20	4 40	9 6	
52.) Christmas Day.				Day's length, 10h. 0m.				Day's length, 9h. 19m.					
25	S	4 14		6	7 1	5 1	10 21	Rigel s. 10.50 a.	1	7 21	4 40	10 18	
26	M	5 5		20	7 1	5 1	11 25	♂ in aphelion.	1	7 21	4 41	11 27	
27	T	5 55		4	7 2	5 2	morn	27th. ♂ ♃ ☽	2	7 21	4 42	morn	
28	W	6 44		18	7 2	5 3	0 30	Canopus s. 11.50 a.	2	7 21	4 42	0 35	
29	T	7 35		2	7 2	5 4	1 33	♂ ♃ ☾	3	7 22	4 43	1 43	
30	F	8 26		15	7 3	5 4	2 35	♂ Nep. ☾. ♂ ♃ ☾	3	7 22	4 43	2 49	
31	S	9 18		28	7 3	5 5	3 35	Nep. s. 2.53 m.	4	7 22	4 44	3 52	

The Price of Dr. Harter's Aque Specific is only 75 Cents



EVER AND AGUE, CHILLS AND FEVER, INTERMITTENT FEVER, NEURALGIA, SUN PAIN AND HEMICRANIA, MALARIAL AND Miasmatic Fevers, CONGESTIVE FEVERS, DUMB AND MASKED AGUES, THIRD-DAY AGUE AND SINKING CHILLS, all have

a common origin, and belong to the same class of diseases, with similar symptoms, passing through similar stages, and requiring nearly the same *Treatment and Medicines*.

These diseases generally pass through three changes, called the *Hot, Cold and Sweating Stages*, followed by an intermission of one, two or three days.

BILIOUS FEVER, REMITTENT FEVER, RIVER, LAKE AND BREAKBONE AND SPOTTED FEVER are all very much alike, and the same course of treatment with our medicines will cure all these varieties of Fever. The worst types of these fevers occur in the South. They have the *Cold, Hot and Sweating Stages*, like the intermittent class, with a remission of one or two days, then another attack comes on as before. These stages are not so well marked nor so regular as the Intermittents. In some cases the cold or sweating stages are short, irregular, or scarcely noticed, and the fever may be light or very high.

First cleanse the system with DR. HARTER'S LIVER PILLS, then commence taking DR. HARTER'S FEVER AND AGUE SPECIFIC to prevent the next attack, and make a permanent cure without injury to the system. In most of cases it will be found beneficial to prepare the system for the FEVER AND AGUE SPECIFIC by DR. HARTER'S LIVER PILLS. They will act on the Liver, Stomach and Bowels, starting the Bile and the Secretions, cleanse the system, and purify the blood.

SYMPTOMS OF DYSPEPSIA.—The appetite is lessened, and is easily satisfied, but however little may be eaten, gas is rapidly generated, and sour, fetid, or rancid eructations of liquid occurs. The patients' suffering from flatulence and consequent distensions, are disturbed and depressed. Palpitation of the heart is common, as well as irregularity of the pulse, headache, occasional dimness of vision, and attacks of dizziness. The mental depression from dyspepsia is

often extremely distressing, varying from slight dejection and ill-humor, or irritable temper, to extreme melancholia or suicidal monomania. There is more or less pain in the stomach, accompanied by derangement of the bowels, disturbed sleep, with terrifying dreams. For the cure of Dyspepsia there is nothing equal to DR. HARTER'S IRON TONIC AND LIVER PILLS.

LAKE CHARLES, LA., Nov. 5th, 1879.—*Dr. Harter:* I have been troubled with Tape-Worm more than three years; have been under the treatment of eminent physicians, but none of them gave me any relief. Last August I was induced to try your TAPE-WORM REMEDY. I commenced using it the same evening that I received it, and at 12 o'clock the same night I passed sixty feet of the worm (the entire worm). I am now in the enjoyment of good health. It affords me much gratification in recommending such a valuable remedy.
HENRY KOHN.

In the severer forms of *Colic*, attended with accumulation of wind in the stomach and bowels, DR. HARTER'S LINIMENT will promptly relieve the flatulence by its powerful carminative influence, and will speedily subdue cramps and spasms.

H. B. ELMORE, of *Stantonville, Ills.*, writing March 1st, 1880, says: "DR. HARTER'S FAMILY MEDICINES are giving general satisfaction here; curing cases of years standing that had received no permanent benefit from competent physicians."

MR. JOHN F. SEBOLD, of *Wittenberg, Mo.*, says: "Your Medicines have worked like a charm on my little child. As soon as she began taking the Medicine she began to improve, and now she is thicker and stouter than she ever was. I can with truth say that your Medicines cured my child, and it will be a pleasure for me to tell the world the great good that you have afforded me."

"Every cookery-book," said Jones, "ought to be illustrated."

"Precisely," said Smith. "I quite agree with you there; for, don't you know, what is the good of a dinner without plates?"

"You say," said a Judge to a witness, "that the plaintiff resorted to an ingenious use of circumstantial evidence; state just exactly what you mean by that." "Well," said the witness, "my exact meaning is that he lied."

"Yes," said an Irish gentleman at Long Branch, "she is very disagreeable at table. If I lived in the same house with her, she would be the only one in it, I can tell you."

For General Debility, use Dr. Harter's Elixir of Wild Cherry.

DR. HARTER'S LINIMENT,

PURELY VEGETABLE AND ALL-HEALING, FOR INTERNAL AND EXTERNAL USE.



Owing to its peculiar composition, it is a mirably adapted to the relief of a wide range of diseases, and can be used with the utmost safety in all

cases where a pain-relieving application is needed. Taken internally, it cures *Acid Stomach, Heartburn, Cramp and Pain in the Stomach, Colic, Diarrhæa, Dysentery, Cholera Morbus and Cholera*. Applied externally, it cures *Scalds, Burns, Frost-Bites, Sprains, Bruises, Whitlows, Felons, Boils, Rheumatic Affections, Headache and Neuralgia in the Face, Toothache, Pain in the Side, Pain in the Back and Loins, Neuralgia or Rheumatic Pains in the Joints or Limbs, Stings of Insects, Centipedes, Bites of Poisonous Insects and Venomous Reptiles*.

Dr. Harter's Liniment Gives Almost Instantaneous Relief.

GREEN BAY, VA., March 16, 1875.—*Dr. Harter*: I was taken with a severe pain in my leg, and in a few moments was so that I could not stand. I sent to your agent and obtained a half bottle of your LINIMENT, and rubbed my leg with it, and in one hour was able to walk about. Relief was almost instantaneous. I never saw anything have such a happy effect so speedily.

R. C. WHITE.

A Case of True Croup Prevented by the use of Dr. Harter's Liniment.

MESSRS. T. H. MCGHEE & BRO., *Jack's Creek, Tenn.*, writing under date January 23, 1874, say: "We are glad to say to you that your valuable medicines are doing great good in this vicinity. We have good reasons for saying that your LINIMENT assisted in the cure of one case of *True Croup* by preventing the re-formation of the False Membrane."

MESSRS. CUMBLE & WILKS, *Berryreth, Ala.*, write June 26th, 1878: "DR. HARTER'S LINIMENT has cured a number of cases of *Flux* in this neighborhood."

MR. SAMUEL HENRY of *Minneola, Little River Co., Ark.*, writing under date of October 1st, 1877, says: "I have thoroughly tried DR. HARTER'S LINIMENT for the *Screw Fly*, and find it the best article for exterminating this terrible pest of anything I have ever used. It is far superior to Calomel. I find that one application is all that is necessary."

LUMBERTON, N. C., June 12th, 1878.—*Dr. Harter*: Some time during the spring of 1876 I was taken with a pain in my back and left shoulder; was unable to stand. I procured a bottle of DR. HARTER'S LINIMENT; before using half of a bottle was entirely cured. It affords me much pleasure to recommend an article of such rare merit as your LINIMENT.

Yours with gratitude,

S. D. STAPLETON.

LAVORNSVILLE, Winston Co., Miss., April 26, 1878.—*The Dr. Harter Med. Co., St. Louis. Gentlemen*: I have been recently an eye-witness to the wonderful effects of DR. HARTER'S LINIMENT in the treatment of colic in horses. Blood-letting, soda-water, chloroform, &c., had been resorted to without any apparent relief, when half of a 25-cent vial of DR. HARTER'S LINIMENT was given in one quart of water, which gave relief in twenty-five minutes, all the most violent symptoms subsiding immediately. Hereafter I shall use and advise DR. HARTER'S LINIMENT for colic in horses. Yours truly,

C. T. KIRK, M. D.

J. F. MONTGOMERY, of *Lincoln, Tenn.*, writing under date of June 3d, 1876, says: "DR. HARTER'S LINIMENT is the best in the world—has cured two of the worst cases of *Neuralgia* I ever saw."


MR. E. B. KETHERSIDE, of *Rising Fawn, Ga.*, writes June 21st, 1877: "I wish to thank you for the great benefit I have derived from DR. HARTER'S FEVER AND AGUE SPECIFIC. It cured me when other medicines had failed. I have no hesitancy in recommending this incomparable medicine to my friends."

Dr. Harter's Liniment Cures Diphtheria.

Dr. Harter.—Your LINIMENT is highly recommended in this place for *Diphtheria*. It cured every case in which it was used. Has not failed in a single instance.

R. A. ESTES, Richmond, Miss.

Dr. Harter's Ague Specific Never Fails.



ALWAYS CERTAIN.

ANY PHYSICIANS, envious of the great success of DR. HARTER'S FEVER AND AGUE SPECIFIC, and in many instances, because the "SPECIFIC" has cured cases that they had failed to benefit, have denounced the "SPECIFIC" as containing poison. We do most positively assert that no mineral or vegetable poison enters into its composition, as the most rigid and exacting analysis will determine. We court the test, and the result in every examination will be to substantiate what we have always claimed—that is, DR. HARTER'S FEVER AND AGUE SPECIFIC is perfectly harmless, and is as innocent as bread. It can be given to the youngest babe as well as the aged and infirm with perfect safety.

F. A. CAIN, *Fayette C. H., Ala.*, writes: "DR. HARTER'S FEVER AND AGUE SPECIFIC will cure long standing cases of *Ague*. I gave it to my little daughter, who was a mere skeleton from the long effects of *Ague*, and she is now well and a new child. My wife suffered eight months from *Chills and Fever*; nothing would do her any good till she commenced using DR. HARTER'S AGUE SPECIFIC, which cured her immediately."

W. H. ROSS, of *Brooks, Grant Co., Ark.*, writes, Jan. 6, 1878: "I had the *ague* for a year; could get nothing to do me any good. I tried almost everything I heard of. A friend mentioned DR. HARTER'S FEVER AND AGUE SPECIFIC. I commenced using it. I was cured before I had used one bottle. Have not had a chill since."

More evidence of the superiority of DR. HARTER'S FEVER AND AGUE SPECIFIC:

W. T. LEAGUE, *Estil Springs, Tenn.*, says: "I suffered with *Fever and Ague* for a year. I tried roots and herbs and all kinds of *ague* medicines without getting any relief. I took large quantities of quinine, which only staved it off for a time, only to return with double force. I continued to suffer until I took DR. HARTER'S FEVER AND AGUE SPECIFIC, which acted like a charm. I can safely say that I am now free from that miserable, prostrating disease."

MR. J. W. HARRIS, of *Henderson, Texas*, says: "My daughter had the third day *Ague* for several months, her case baffling all treatment. I was in despair. DR. HARTER'S FEVER AND AGUE SPECIFIC PILLS were recommended to me. My daughter commenced using them, and before she had used all of the PILLS she was cured."

A great many cases of Rheumatism have their origin in Malaria, when it is ascribed to other causes. The only way to treat disease successfully is to remove the cause. And to all those living in Malarial districts having attacks of Rheumatism, we would earnestly recommend DR. HARTER'S FEVER AND AGUE SPECIFIC. If Rheumatism is not cured it is apt to lead to organic disease of the heart, finally resulting in Dropsy. DR. HARTER'S FEVER AND AGUE SPECIFIC has cured cases that other popular remedies failed to benefit. We don't claim that the AGUE SPECIFIC will cure all cases of Rheumatism, but we most positively assert that it will cure all cases having their origin in Malaria.

MR. O. K. WELLS, of *Obion Station, Tennessee*, writes, January 9, 1878: "I had the chills for three years; could not find anything that would cure me. I had despaired of getting well. Mr. J. B. Moore, of Palestine, induced me to try DR. HARTER'S FEVER AND AGUE SPECIFIC, and to my utter astonishment, I was entirely cured by one bottle. Words cannot express my thankfulness for such a boon as this great infallible remedy for Chills and Fever."

ST. LOUIS, Jan. 8, 1879.—*Dr. Harter. Dear Sir:* I feel it incumbent upon me to gratefully acknowledge my great obligation to you, as your FEVER AND AGUE SPECIFIC has thoroughly demonstrated its priceless value. My daughter, eight years old, had been suffering for five months with this baneful disease. My family physician, during this time, prescribed for her various medicines, but all with no effect. He finally gave up her case, stating that it was incurable. I bethought myself of your magical *Ague Remedy*, and on the return of the malady administered to her the SPECIFIC, according to your directions. The effect was indeed wonderful, as a few doses checked her fever entirely, where formerly it took two to three days for the physician to get it under control. She is now hale and hearty; and three weeks having elapsed since any return of the disease, I feel impelled to thank you most cordially. D. LEUBRIE.

A PHYSICIAN, on presenting his bill to the executor of the estate of a deceased patient, asked, "Do you wish to have my bill sworn to?" "No," replied the executor; "the death of the decedent is evidence sufficient that you treated him professionally."

A MAN is in no danger as long as he talks love, but when he writes it he is impaling himself on his own pot-hooks most effectually.

AN Irishman complained to his physician that he stuffed him so much with drugs that he was sick a long time after he got well.

MOTHERS, READ THIS.

IMPORTANT TO MOTHERS.—While the young mother is suckling her infant, it is necessary for the preservation of her own and her child's life, that the daily drain of vital power from her system should be replaced by the use of a safe and powerful invigorator, blood-maker and purifier, as DR. HARTER'S IRON TONIC. In most of cases the mother loses strength, no matter how nourishing her food may be. If DR. HARTER'S IRON TONIC is used, the mother's milk retains its necessary richness and strength; it will infuse new life and vigor into the mother, and the milk will not become deficient in quantity. It is of the utmost importance that the mother should be in perfect health, and the blood free from all taint while nursing the child; if not, the child will inherit its mother's ill-health. This famous vitalizing TONIC will give the mother health and strength as well as the child.

N. THOMAS & Co., *Winchester, Texas*, say: "We have fully tested DR. HARTER'S FEVER AND AGUE PILLS. We had on our plantation a negro woman who had chills at short intervals during the season, until she became prostrated. We took her to our house, gave her Calomel, Quinine and Blue Mass, with no effect. We then commenced the use of your AGUE SPECIFIC and LIVER PILLS. The third day after, when we expected her to have a chill, she had only a slight headache, after which she used about half of the LIVER PILLS and one box of the AGUE PILLS, which entirely cured her. Had not experienced a well day in a year before."

The only Tonic that has been used with uniform and entire success, as a means of recruiting and refreshing the system, after it has been shattered or broken down by hard work and close mental application, is DR. HARTER'S IRON TONIC.

DR. A. D. EBERT, of *Sharpsburg, Illinois*, says: "DR. HARTER'S FAMILY MEDICINES are the best that I have ever used in my practice, and conscientiously recommend them. I have seen really wonderful cures made by these medicines."

Thousands fall a prey every year to disease, because they have not taken the necessary precautions to keep

the body always in a state of defence. There is no difficulty in doing this. DR. HARTER'S ELIXIR OF WILD CHERRY is especially adapted to this purpose, and for the simple reason that its invigorating and regulating properties are superior to any other Medicine in the world.

MR. H. GANS, of *Gainstown, Ala.*, writes: "I am out of your FEVER AND AGUE SPECIFIC. People are urging me to send for more. They regard the AGUE SPECIFIC as the best Fever and Ague medicine they have ever used. It has cured cases of twelve to eighteen months standing after everything else had failed. People come twenty-five to thirty miles to get it."

THOS. J. LUSK, *Collinsburg, La.*, says: "I am out of DR. HARTER'S LIVER PILLS; could have sold two hundred boxes since I received the last lot. Your Medicines are in good demand. Please send immediately."

Many skin diseases, which besides disfiguring the appearance are very troublesome and annoying, have their origin in a low condition of the system, resulting from loss of appetite, insufficient blood, either in quantity or quality, Malaria, Dyspepsia or General Debility. In all such cases we would certainly recommend DR. HARTER'S IRON TONIC. It will improve the general health, increase the number of red blood corpuscles, infusing new life and vigor into the system.

A FATHER, in condoling his daughter who had lost her husband, said: "I don't wonder you grieve for him my child; you will never find his equal." "I don't know as I can," responded the sobbing widow, "but I'll do my best." The father felt comforted.

An orator lately said to his audience, "I am speaking for the benefit of posterity," when some one shouted, "Yes, and if you don't get through soon they'll be here."

THE horn of the hunter that is heard on the hill is not the horn that he got at the still.

BUSTLING.—Old gentleman (watching a crowd round an omnibus.) "What a bustle!" Stout old lady. "Old your tongue, impertinence."

"How dare you swear before me?" asked a Sacramento man of his son recently. "How did I know you wanted to swear first?" replied the spoiled urchin.

A COUNTERFEIT ten dollar coin is an ill-eagle piece of money.

A CORN dodger—The man who wears boots big enough for his feet.

A MAN with no arms can never feel well



MISCELLANEOUS.

AVITALIZING, strength-sustaining medicine is the greatest necessity for all who are feeble of frame and deficient in constitutional stamina. The artificial strength derived from DR. HARTER'S IRON TONIC will enable the most debilitated to regain their lost health or give strength to those that are fragile, so that they may live as long as the robust.

MESSRS. SOLOMON & BUSCH, of *Troy Mills, Iowa*, say: "Fever and Ague was prevalent in our section last season. DR. HARTER'S FEVER AND AGUE SPECIFIC effected a cure in every instance where it was tried."

With the vast number of patent medicines flooding the market, and being extensively advertised, it is only one here and there that the honest journalist can conscientiously give endorsement. But among the few that are really meritorious, and which have stood the test of trial, and to-day stand out triumphantly victorious in the estimation of the people, none rank higher in popular estimation than DR. HARTER'S IRON TONIC. A stimulant which leaves no deleterious effects, a tonic imparting strength to the system, HARTER'S IRON TONIC to-day deservedly ranks as one of the greatest boons conferred upon suffering humanity by deep research and scientific medical achievement.—*Indianapolis Sun, January 21, 1880.*

HABITUAL COSTIVENESS gives the skin a dull and unclean appearance, to which a single dose or two of DR. HARTER'S LIVER PILLS often restores clearness. Costiveness often affects the mind as well as body, and frequently produces headache; yet, though its depressing influence may not be realized, the buoyancy felt on its removal by the pills is unmistakable.

OAK FOREST, ARK., NOV. 10, 1879.—*Dr. Harter:* Having used your AGUE SPECIFIC for Chills of long standing in my family, I find it an infallible cure. I recommended it to Mrs. Dodd, one of my neighbors, whose little girl had had the Ague for some months. It cured her in an incredibly short time. I suggested its use to Mr. Hood, another of my neighbors, who had been suffering with Malaria since last July. He used it in connection with DR. HARTER'S IRON TONIC, and the result was, he had a speedy recovery.

JOHN W. JACKSON.

"Familiar Words."

BOYNTON, M.D., May 5th, 1879.—"If that does not cure you *nothing* will;" "If it does not make you well I will pay for it," says another. Such remarks are often heard in speaking of DR. HARTER'S FEVER AND AGUE SPECIFIC. All of your other Medicines are selling well.

BYRAM JACKSON.

MR. J. S. GRAHAM, of *Claiborne, Miss.*, writes "My wife has been very low. Our family physician said it was of no use to give her any more medicine, supposing her to be in the last stage of Dropsy. She had a complication of diseases originating in Chills and Fever. She was not able to get about. Was bloated, spleen was swollen, had jaundice, and was troubled with piles. As a last resort, I was induced to try your celebrated FAMILY MEDICINES. I gave your LIVER PILLS, FEVER AND AGUE SPECIFIC, and IRON TONIC, and to the astonishment of all, she began to recover, and in a short time she was well. I am thankful to you for FAMILY MEDICINES. They have been everything to me. They have saved my wife's life."

Enlargement of the Spleen, (sometimes called Ague Cake,) is an occasional complication of Fever and Ague, and the enlargement is often sufficient for that organ to be felt through the abdominal walls. A certain cure for this trouble is DR. HARTER'S FEVER AND AGUE SPECIFIC AND IRON TONIC.

Dr. Harter: Your Medicines have effected a remarkable cure here. A lady who lost her health was attended by our best physicians. One of our physicians said her Liver was badly diseased, and that her Spleen was enlarged. She had a consumptive cough and she grew weaker; the doctors could give her no relief. Not being able to employ a physician any longer, she resorted to different patent medicines; still no relief. I then commenced giving her your Medicines as directed, and without pay, as I wished her to get well. I gave her your LIVER AND AGUE PILLS and your IRON TONIC and the LUNG BALM. I am happy to say that these wonderful remedies have raised her from a helpless skeleton to fair health; her Liver acts well, the enlargement of the Spleen has about all disappeared. She is attending to her domestic duties cheerfully. Yours respectfully,

Claiborne, Miss.

R. R. ABNEY.

Getting into debt is like a mouse in a trap; very easy easy to get in but hard to get out.

A new hired girl, asked if she had ever had any experience as a wet nurse, said she hadn't, but that she could soon learn.



READ AND REFLECT.

DR. HARTER'S IRON TONIC acts as a specific in many diseases of the skin, and may be administered with favorable results to any. It also exercises a controlling influence in bilious complaints; and when the system has been debilitated, either by the use of powerful or mineral medicines, or other causes, it will be found an excellent restorative

A Standard Remedy.

In the multiplication of new and unknown nostrums, people are sometimes prone to forget standard and well-tried remedies. Such a one is DR. HARTER'S CELEBRATED IRON TONIC, a preparation of iron and calisaya bark, in combination with the phosphates. The good qualities of iron as a tonic are fully known and recognized by the medical profession, and in the form in which it is prepared by DR. HARTER, it has been used with great success for Dyspepsia, General Debility, Female Diseases, etc., etc. Persons suffering from any of these complaints would do well to refer to the advertisement of The Dr. Harter Medicine Company, published elsewhere, or write to them for further particulars.—*Toledo Blade*.

A Life Saved by the use of Dr. Harter's Family Medicines.

JAMES T. MAY, Attorney at Law, *La Fayette, Ala.*, says: "I suffered four years with Fistula and Nervous Prostration. I could find no remedy that gave me relief. As I was fifty years of age, and my whole nervous system prostrated, strength gone, and the powers of life giving way, I was well aware that my time was short unless I got help. I had heard of the fame of DR. HARTER'S FAMILY MEDICINES. I commenced with the LIVER PILLS, and as soon as they had acted well upon the Liver, and cleansed the system, I commenced taking DR. HARTER'S IRON TONIC. To my astonishment, my nervous spells stopped, my health was restored, and my fistula was cured. I am to-day a well man."

PORT GIBSON, MISS., April 6, 1876. *Dr. Harter*: Please send me by the first boat, 4 dozen DR. HARTER'S IRON TONIC. The demand for the IRON TONIC is on the increase, and I hear it spoken of favorably by all that have used it. One of my customers, an old man, who has been walking with a cane for a number of years, has, after using three bottles of the IRON TONIC laid the cane aside. He says that since using the IRON TONIC, he can walk without the aid of it. He is now giving the IRON TONIC to a consumptive case with good results. The Tonic is all you claim for it; it has worked marvelous cures.

M. HASTINGS.

A schoolboy being asked by his teacher how he should flog him, replied: "If you please, sir, I should like to have it on the Italian system of penmanship—the heavy strokes upward and the downward ones light."

LOUISVILLE, ARK., May 6, 1876.—*Dr. Harter*. From all indications I think your Medicines will soon take the place of all others sold in this region. The IRON TONIC is prescribed by our physicians, and I am sure that *all* of your Medicines are appreciated. They are spoken of in the highest terms by all who have used them, and I believe they will stand the test of time.

JAMES W. MOORE, M. D.

The corrective powers of DR. HARTER'S ELIXIR OF WILD CHERRY will neutralize the deleterious principles in impure water, and by its Stimulative, Tonic, and Laxative properties, the system is thoroughly rejuvenated and placed in a condition to resist all disease.

I don't take any foolish chances. If I wuz called upon to mourn over a dead mule I should stand in front of him and do my weeping.—Josh Billings.

TROY, O., Jan. 2, 1878.—*The Dr. Harter Medicine Co.: Gentlemen*—Some three months ago I began the use of DR. HARTER'S IRON TONIC upon the advice of many friends who knew its virtues. I was suffering from general debility to such an extent that my labor was exceedingly burdensome to me. A vacation of a month did not give me much relief, but on the contrary, was followed by increased prostration and sinking chills. At this time I began the use of your IRON TONIC, from which I realized almost immediate and wonderful results. The old energy returned, and I found that my natural force was not permanently abated. I have used three bottles of the TONIC. Since using it I have done twice the labor I ever did in the same time during my illness, and with double the ease. With the tranquil nerve and vigor of body, has come also a clearness of thought never before enjoyed. If the TONIC has not done the work, I know not what. I give it the credit. Most gratefully yours,

J. P. WATSON.

Pastor Christian Church, Troy, O.

"Papa, didn't you whip me once for biting little Tommy?" "Yes, my child, you hurt him much." "Well, then, papa, you ought to whip sister's music master, too; he hit sister, yesterday afternoon, right on the mouth; and I know it hurt her, because she put her arms around his neck and tried to choke him."

The following unique epistle was picked up in the street the other day: "Dear Kup: The reason I didn't laff when you laff at me in the post-office yesterday was because I hev a bile on my face, and kan't laff. If I laff she'll burst. But I lov you, Kup, bile or no bile, laff or no laff. Yure luvin Kate till death."



MISCELLANEOUS.

THE Liver is much more frequently the seat of disease than is generally supposed. The function it is designed to perform, and on the regular execution of which depends not only the general health of the body, but the powers of the stomach, bowels, brain, and the whole nervous system, shows its vast and vital importance to health.

A Life Saved by Dr. Harter's Iron Tonic.

FALSONVILLE, IND., March 16, 1878.—*Dr. Harter*—Dear Sir: I have been using your IRON TONIC in my family for some time, and find it to be of the greatest benefit of any remedy I have ever used. It cured my boy after he had been given up by the doctors to die. My boy was weakly from birth; he was spitting and slobbering to such an extent that his clothes were always wet. He became so weak that four of our best doctors said he must die; he was beyond human aid. I was induced to give him your IRON TONIC, which, I am happy to say, has made a complete cure. Everybody here looks upon it as a miracle.

W. H. BONE.

MESSRS. J. E. ELVERSON & Co., of *Eldon, Iowa*, write May 6th, 1878. "Your FEVER AND AGUE SPECIFIC and LIVER PILLS are meeting with unprecedented success, and our sales have far surpassed our expectations. We are in need of both at present and hope you will fill our order at once."

Strictly Pure Medicines only being used in the manufacture of these wonderful Remedies, being purchased from first hands, and in original packages, is one of the secrets of these Medicines being always so uniform, and ever to be relied upon. *Expectations are never disappointed*, and the most sanguine hopes are realized. When we read the testimonials of the multitude, and *hear of the remarkable cures* these medicines have effected, we feel amply repaid for all our efforts in maintaining the reputation that these justly celebrated medicines have achieved. *Extending over a period of thirty years*, their reputation has been growing brighter and brighter each year, till they have reached the *highest pinnacle of fame*. They have become a household word, and their name and achievements have endeared them to all its members.

Dr. Harter's Ague Specific Cures when the Best Physicians Fail.

HOLLY SPRINGS, MISS., May 6, 1869.—*Dr. Harter*: About a year ago, after having tried quinine, and Hurley's and Smith's Tonics, in an obstinate case of *Chills* in my family, a bottle of DR. HARTER'S FEVER AND AGUE SPECIFIC came casually into my hands, through Mr. Athey, druggist of this place, which proved entirely successful. By my personal recommendation, scores of my friends have since tested its curative properties, and, so far as reported, with scarcely a single failure. I regard it as the *cheapest and best Chill medicine* with which I am acquainted, and is attended with no unpleasant effects.

HENRY H. PAYNE, Pastor Presb. Ch.

MR. J. W. HARRIS, of *Henderson, Texas*, says: "My daughter had the third-day Ague for several months, her case baffling all treatment. I was in despair. DR. HARTER'S FEVER AND AGUE SPECIFIC PILLS were recommended to me. My daughter commenced using them, and before she had used all of the PILLS, she was cured."

JAMES SLOVER, of *Pulaski Co., Ind.*, writes: "I had the Dyspepsia and Liver Complaint for nine years; could keep nothing on my stomach. I was induced to use DR. HARTER'S LIVER PILLS. After one box of PILLS I experienced a decided improvement, and when I had finished a second one I was *entirely cured*."

JOHN C. WELBORN, of *Keysport, Ill.*, writes: "I meet with a ready sale for DR. HARTER'S FAMILY MEDICINES. I cured a little girl of Ague of two years' standing, after the physicians had failed to benefit her. I think that your AGUE SPECIFIC and IRON TONIC are the best medicines in the world."

"I meant to have told you of that bucket of coal I left at the bottom of the stairs for you to carry up, Harry," said his wife from the upper landing, when she heard a fall and some tall swearing. "Never mind, I've found it," replied he.

A Brooklyn man stole up behind a lady in a dark room and kissed her, and when he found it was his wife, and she found it was her husband, they were both as mad as wet hens.

A Towanda, Penn., sign reads thus: "John Smith, teacher of cowtillions and other dances—grammartaut in the neatest manner—fresh salt herrin on draft—like-wise Godfrey's cordial—rute sausage and other garden truck—N. B. bawl on Friday nite—prayer meeting chimes-day—also salue singing by the quire."

Professor.—Which is the most delicate of the senses? Senior.—The sense of touch. Professor.—Give me an example. Senior.—My clum can feel his mustache, but no one else can see it.

DR. HARTER'S
SOOTHING DROPS



ARE a perfectly safe and reliable remedy. They relieve the child from pain, and afford it rest. They soften the gums, reduce the inflammation, cure wind colic, and carry the infant safely over the teething period.

No mother who has ever tried them will consent to let her child pass through the critical period of teething without the aid of this valuable remedy. Thousands of mothers have used them, and all say that they have no equal. They give health and rest to the child, and comfort to the mother.

Dr. Harter's Soothing Drops Act Like a Charm.

PAULDING, MISS., Jan. 9, 1873.—*Dr. Harter:* My little son was afflicted with *Chronic Diarrhœa* for a considerable length of time. I tried various remedies, which only gave temporary relief. I finally purchased a bottle of your SOOTHING DROPS, which acted like a charm. I take pleasure in recommending them.

REV. S. W. JONES.

WEST MILTON, OHIO.—*Dr. Harter:* After using DR. HARTER'S SOOTHING DROPS in my practice, I am fully convinced that they are superior to any other remedy of a similar character.

W. H. H. MINTON, M. D.

Dr. Harter's Soothing Drops

Give greater satisfaction to the people, and are more prescribed by physicians, than any other soothing

remedy ever introduced, because they are so pleasant to take, and so sure to cure *Colic, Diarrhœa, Flux, Summer Complaints, Cramps, Spasms, Gripes, &c.* These SOOTHING DROPS may be given to the *crying, fretful, restless, teething, nervous* child with perfect confidence in their ability to quiet and soothe it without injury.

DR. HARTER defies the whole medical profession to produce anything equal to his soothing remedy for children, at the same time so pleasant to take by the young babe.

Dr. Harter's Soothing Drops give Universal Satisfaction.

DR. A. SLACK, *Cog Hill, Tenn.*, August 10, 1874.

—*Dr. Harter:* I have been selling your SOOTHING DROPS. They give universal satisfaction, and are taking the place of all other Soothing Syrups.

For all diseases with which children are afflicted during the process of teething, DR. HARTER'S SOOTHING DROPS are a safe and sure remedy. Their value is incalculable. They do not contain a particle of morphine. They are the result of *thirty years' experience* in the treatment of women and children, in private and hospital practice. For 25 CENTS you can avoid any more restless and sleepless nights with your *fretful, colicky, nervous and teething* babe.

ROBERT SAMUELS, *Piqua, Ohio*, writes: "We have used DR. HARTER'S SOOTHING DROPS in my family for years, and have never seen their equal. In almost every instance where the infant is suffering from pain and exhaustion, it will be relieved in five to fifteen minutes after the SOOTHING DROPS have been administered. In our family it has proved a blessing, gives the infant a sweet and refreshing sleep, and to the parents unbroken rest at night."

DR. HARTER'S SOOTHING DROPS relieve the suffering infant as if by magic, leaving no unpleasant consequences to follow. These DROPS are pleasant and agreeable to the taste; the youngest child will take them without difficulty.

Dr. Harter's Liniment Cures Rheumatism.



IN casting a glance over the multitude of Proprietary Medicines offered for sale, it is a noticeable fact that very few have been long lived; very few are recognized standard remedies; very few retain a place in the public estimation, except they are constantly pushed forward through the medium of printer's ink. There are, however, a few manufacturers who have placed full lines of household remedies before the people, possessing intrinsic merit; accomplishing all that their originators claim for them. These remedies to-day make up a large factor in the trade of the druggist.

No house in the West has greater claims to favorable mention than THE DR. HARTER FAMILY MEDICINE Co., the proprietors of DR. HARTER'S IRON TONIC. We long ago found it necessary to keep a full stock of these valuable remedies on hand to supply a demand which has been constantly increasing throughout the West.—*Kennan & Forsyth, Publishers of Druggist, and General Dealers, Omaha, Feb. 1880.*

In this issue appears a new advertisement of the DR. HARTER MEDICINE Co., manufacturers of the celebrated IRON TONIC, endorsed and recommended by the medical profession. As a general tonic, and especially for dyspepsia and general debility, it has no equal, having been thoroughly tested and recommended as having virtues which no other tonic possesses. It is certainly a valuable remedy, judging from the satisfactory testimonials from prominent persons it has received.—*From Cincinnati "Christian Standard."*

Readers of the *Advocate* will find in another column the advertisement of "DR. HARTER'S IRON TONIC." In these days of numberless medical preparations, there is liability of confusion, if not of mistakes, in ordering the right article. But the DR. HARTER MEDICINE Co. keep their advertisement prominent in the best newspapers in the country, and none need err in securing the genuine article of their preparation.—*Detroit Christian Adv., Mar. 6, '80.*

PRESENTED BY

I. H. Trowbridge,
Marseilles, Illinois,

DEALER IN

Drugs, Medicines, Chemicals,

PERFUMERY, SPONGES, FINE SOAPS,

Fancy and Toilet Articles,
Books, Stationery, Wall Paper.

AND ALL OTHER ARTICLES KEPT BY DRUGGISTS GENERALLY.